1998 ANNUAL INDEXES

Textile Research Journal

Volume 68

AUTHOR AND TITLE INDEX pp. 950–957

MONTH	PAGES
January	1–76
February	77–154
March	155–232
April	233–310
May	311–388
June	389–466

SUBJECT INDEX, pp. 957–966

MONTH	PAGES
July	467–544
August	545–622
September	623–700
October	701–778
November	779–872
December	873–966

AUTHOR AND TITLE INDEX

Adanur, Sabit A Novel Approach to Three-Dimensional Modeling of Interlaced Fabric Structures (*Liao*) 841
Computer Simulation of Mechanical Properties of Nonwoven Geotextiles in Soil-Fabric Interaction (*Liao*) 155
Akin, Danny E. Chemical/Physical Retting of Flax Using Detergent and Oxalic Acid at High pH (*Henriksson, Eriksson, Kimmel*) 942
Structural Effects on Flax Stems of Three Potential Retting Fungi (*Rigsby, Henriksson, Eriksson*) 515
Almeida, Luis Hydrolysis of Cotton Cellulose by Engineered Cellulases from *Trichoderma reesei* (*Cavaco-Paulo, Bishop*) 273
Indigo Backstaining During Cellulase Washing (*Cavaco-Paulo, Morgado, Kilburn*) 398
Amemiya, Yoshiyuki Intermediate Filament Packing in α-Keratin of Echidna Quill (*James*) 167
Arnold, L. N. Tropical-Weight Wool-Rich Blend Fabrics with Unique Draping Characteristics (*De Boos*) 564
Ashdown, Susan P. Using Video Capture and Image Analysis to Quantify Apparel Fit (*Kohn*) 17
Ayada, Masako Optimum Silhouette Design for Ladies' Garments Based on the Mechanical Properties of a Fabric (*Niwa, Nakanishi, Kawabata*) 578

Babaarslan, Osman Tension Variations During Cone Winding on an Open-End Spinning System (*Iype*) 649
Backer, Stanley Modeling for Suppression of Moisture/Temperature Induced Dimensional Changes in Unbalanced Fibrous Composite Structures with Perfect Bonding (*Qiu*) 1
Bais-Singh, Smita Finite Element Modeling of the Nonuniform Deformation of Spun-Bonded Nonwovens (*Biggers, Goswami*) 327
Predicting the Biaxial Tensile Deformation Behavior of Spunbonded Nonwovens (*Goswami*) 219
Bardole, Heather A. Iron Salts in the Post-Metallization of Mordant Dyes (*Freeman, Reife*) 141
Barella, A. Comments on "Measuring Fiber Orientation in Nonwovens" (*Manich*) 228
Comments on "Yarn and Knitting Parameters Affecting Fly During Weft Knitting of Staple Yarns" (*Manich*) 152
Barnes, J. A. Dynamic Air Permeability Behavior of Nylon 66 Airbag Fabrics (*Partridge, Mukhopadhyay*) 726
Berberi, Pellumb G. A New Method for Evaluating Electrical Resistivity of Textile Assemblies 407
Betcheva, R. Quality Control of Silicone Softener Application (*Tzanov, Hardalov, Hes*) 749
Bhat, Gajanan Evolution of Structure and Properties in a Spunbonding Process (*Zhang, Sanjiv, Wadsworth*) 27
Biggers, Sherrill B., Jr. Finite Element Modeling of the Nonuniform Deformation of Spun-Bonded Nonwovens (*Bais-Singh, Goswami*) 327
Bishop, David Hydrolysis of Cotton Cellulose by Engineered Cellulases from *Trichoderma reesei* (*Cavaco-Paulo, Almeida*) 273
Bobleter, Ortwin Quantitative Determination of BTCA Bound to Cellulosic Material by Means of Isocratic HPLC (*Schramm, Rinderer*) 821
Borsa, Judit Carboxymethylated Cotton Fabric for Pesticide-Protective Work Clothing (*Rácz, Obendorf*) 69
Bowman, Lawrence E. Advances in Carbon Dioxide Based Sizing and Desizing (*Reade, Hallen, Butenhoff*) 732
Bragg, Charles K. Determining Gravimetric Bark Content in Cotton with Machine Vision (*Lieberman, Brennan*) 94
Brennan, Sean N. Determining Gravimetric Bark Content in Cotton with Machine Vision (*Lieberman, Bragg*) 94
Brook, D. B. Moisture Vapor Transport Through Waterproof Breathable Fabrics and Clothing Systems Under a Temperature Gradient (*Gretton, Dyson, Harlock*) 936
Brooks, R. J. Wet Comfort of Small Disposable Incontinence Pads (*Cottenden, Thornburn, Dean, Fader*) 479
Broughton, Roy, Jr. Evaluating Staple Fiber Processing Propensity Part I: Processing Propensity of Cotton Fibers (*El Mogahzy, Guo, Taylor*) 835
Part II: Processing Propensity of Polyester/Cotton Blends (*El Mogahzy, Guo, Rollins*) 907
Bruce, D. M. Effect of Environmental Relative Humidity and Damage on the Tensile Properties of Flax and Nettle Fibers (*Davies*) 623
Brushwood, Donald High Moisture Storage Effects on Cotton Stickiness (*Chun*) 643
Buschle-Diller, G. Effects of Scouring with Enzymes, Organic Solvents, and Caustic Soda on the Properties of Hydrogen Peroxide Bleached Cotton Yarn (*El Mogahzy, Inglesby, Zeronian*) 920

1998 ANNUAL INDEXES

Textile Research Journal

Volume 68

AUTHOR AND TITLE INDEX pp. 950–957

MONTH	PAGES
January	1–76
February	77–154
March	155–232
April	233–310
May	311–388
June	389–466

SUBJECT INDEX, pp. 957–966

MONTH	PAGES
July	467–544
August	545–622
September	623–700
October	701–778
November	779–872
December	873–966

AUTHOR AND TITLE INDEX

Adanur, Sabit A Novel Approach to Three-Dimensional Modeling of Interlaced Fabric Structures (*Liao*) 841
Computer Simulation of Mechanical Properties of Nonwoven Geotextiles in Soil-Fabric Interaction (*Liao*) 155
Akin, Danny E. Chemical/Physical Retting of Flax Using Detergent and Oxalic Acid at High pH (*Henriksson, Eriksson, Kimmel*) 942
Structural Effects on Flax Stems of Three Potential Retting Fungi (*Rigsby, Henriksson, Eriksson*) 515
Almeida, Luis Hydrolysis of Cotton Cellulose by Engineered Cellulases from *Trichoderma reesei* (*Cavaco-Paulo, Bishop*) 273
Indigo Backstaining During Cellulase Washing (*Cavaco-Paulo, Morgado, Kilburn*) 398
Amemiya, Yoshiyuki Intermediate Filament Packing in α-Keratin of Echidna Quill (*James*) 167
Arnold, L. N. Tropical-Weight Wool-Rich Blend Fabrics with Unique Draping Characteristics (*De Boos*) 564
Ashdown, Susan P. Using Video Capture and Image Analysis to Quantify Apparel Fit (*Kohn*) 17
Ayada, Masako Optimum Silhouette Design for Ladies' Garments Based on the Mechanical Properties of a Fabric (*Niwa, Nakanishi, Kawabata*) 578

Babaarslan, Osman Tension Variations During Cone Winding on an Open-End Spinning System (*Iype*) 649
Backer, Stanley Modeling for Suppression of Moisture/Temperature Induced Dimensional Changes in Unbalanced Fibrous Composite Structures with Perfect Bonding (*Qiu*) 1
Bais-Singh, Smita Finite Element Modeling of the Nonuniform Deformation of Spun-Bonded Nonwovens (*Biggers, Goswami*) 327
Predicting the Biaxial Tensile Deformation Behavior of Spunbonded Nonwovens (*Goswami*) 219
Bardole, Heather A. Iron Salts in the Post-Metallization of Mordant Dyes (*Freeman, Reife*) 141
Barella, A. Comments on "Measuring Fiber Orientation in Nonwovens" (*Manich*) 228
Comments on "Yarn and Knitting Parameters Affecting Fly During Weft Knitting of Staple Yarns" (*Manich*) 152
Barnes, J. A. Dynamic Air Permeability Behavior of Nylon 66 Airbag Fabrics (*Partridge, Mukhopadhyay*) 726
Berberi, Pellumb G. A New Method for Evaluating Electrical Resistivity of Textile Assemblies 407
Betcheva, R. Quality Control of Silicone Softener Application (*Tzanov, Hardalov, Hes*) 749
Bhat, Gajanan Evolution of Structure and Properties in a Spunbonding Process (*Zhang, Sanjiv, Wadsworth*) 27
Biggers, Sherrill B., Jr. Finite Element Modeling of the Nonuniform Deformation of Spun-Bonded Nonwovens (*Bais-Singh, Goswami*) 327
Bishop, David Hydrolysis of Cotton Cellulose by Engineered Cellulases from *Trichoderma reesei* (*Cavaco-Paulo, Almeida*) 273
Bobleter, Ortwin Quantitative Determination of BTCA Bound to Cellulosic Material by Means of Isocratic HPLC (*Schramm, Rinderer*) 821
Borsa, Judit Carboxymethylated Cotton Fabric for Pesticide-Protective Work Clothing (*Rácz, Obendorf*) 69
Bowman, Lawrence E. Advances in Carbon Dioxide Based Sizing and Desizing (*Reade, Hallen, Butenhoff*) 732
Bragg, Charles K. Determining Gravimetric Bark Content in Cotton with Machine Vision (*Lieberman, Brennan*) 94
Brennan, Sean N. Determining Gravimetric Bark Content in Cotton with Machine Vision (*Lieberman, Bragg*) 94
Brook, D. B. Moisture Vapor Transport Through Waterproof Breathable Fabrics and Clothing Systems Under a Temperature Gradient (*Gretton, Dyson, Harlock*) 936
Brooks, R. J. Wet Comfort of Small Disposable Incontinence Pads (*Cottenden, Thornburn, Dean, Fader*) 479
Broughton, Roy, Jr. Evaluating Staple Fiber Processing Propensity Part I: Processing Propensity of Cotton Fibers (*El Mogahzy, Guo, Taylor*) 835
Part II: Processing Propensity of Polyester/Cotton Blends (*El Mogahzy, Guo, Rollins*) 907
Bruce, D. M. Effect of Environmental Relative Humidity and Damage on the Tensile Properties of Flax and Nettle Fibers (*Davies*) 623
Brushwood, Donald High Moisture Storage Effects on Cotton Stickiness (*Chun*) 643
Buschle-Diller, G. Effects of Scouring with Enzymes, Organic Solvents, and Caustic Soda on the Properties of Hydrogen Peroxide Bleached Cotton Yarn (*El Mogahzy, Inglesby, Zeronian*) 920

Influence of Direct and Reactive Dyes on the Enzymatic Hydrolysis of Cotton (*Traore*) 185
Butenhoff, Andy Advances in Carbon Dioxide Based Sizing and Desizing (*Bowman, Reade, Hallen*) 732
Byrne, K. Ultraviolet Radiation Curing Treatments for Shrink-Resistant Wool Fabric Part I: Monomer Systems (*Dodd, Carr*) 10

Calamari, Timothy A., Jr. Carding Kenaf for Nonwovens (*Tao, Crook*) 402
Theoretical and Practical Aspects of Fiber Length Comparisons of Various Cottons (*Cui, Suh*) 467
Carr, C. M. Investigating the Photo-Oxidation of Wool Using FT-Raman and FT-IR Spectroscopies (*Jones, Cooke, Lewis*) 739
Ultraviolet Radiation Curing Treatments for Shrink-Resistant Wool Fabric Part I: Monomer Systems (*Dodd, Byrne*) 10
Cavaco-Paulo, Artur Hydrolysis of Cotton Cellulose by Engineered Cellulases from *Trichoderma reesei* (*Almeida, Bishop*) 273
Indigo Backstaining During Cellulase Washing (*Morgado, Almeida, Kilburn*) 398
Chan, K. Effect of Low Temperature Plasma, Chlorination, and Polymer Treatments and Their Combinations on the Properties of Wool Fibers (*Kan, Yuen, Miao*) 814
Chan, Yuk-Fung Effect of Fabric Mechanical Properties on Drape (*Hu*) 57
Chang, Bih-Lan Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Fan, Wang, Wang, Jou, Kao*) 179
Chen, Cheng-Chi Crosslinking of Sulfonated Cotton Cellulose Part I: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Han*) 115
Chen, Pei-Wen Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Liang, Yau, Sun, Wang, Lin, Lien*) 121
Chen, Rongjuan An Improved Capstan Equation for Nonflexible Fibers and Yarns (*Wei*) 487
Cheng, K. P. S. Effect of Strand Spacing and Twist Multiplier on Cotton Sirospun Yarn (*Sun*) 520
Cherkassky, Arkady Analysis and Simulation of Nonwoven Irregularity and Nonhomogeneity 242
Cho, Sungmi Effect of Low Temperature Plasma Treatment on Color of Wool and Nylon 6 Fabrics Dyed with Natural Dyes (*Wakida, Choi, Tokino, Lee*) 848
Choi, Hyung-Min Synthesis of a Quaternary Ammonium Derivative of Chitosan and Its Application to a Cotton Antimicrobial Finish (*Kim, Yoon*) 428
Choi, Sukchul Effect of Low Temperature Plasma Treatment on Color of Wool and Nylon 6 Fabrics Dyed with Natural Dyes (*Wakida, Cho, Tokino, Lee*) 848
Chu, Youe-Tsyr Comments on "Theoretical and Experimental Profiles of Fiber Fineness and Maturity Using the Shirley Micromat and the Zellweger Uster Advanced Fiber Information System Module" 697
Chun, David T. W. High Moisture Storage Effects on Cotton Stickiness (*Brushwood*) 643
Chung, Kyung-Ho Structure of Regenerated Cellulose Fibers from DMAc/LiCl Solution (*Hong, Lee*) 65
Chung, Siuping Drape Behavior of Woven Fabrics with Seams (*Hu*) 913
Chung, Yong-Sik Durable Press and Antimicrobial Finishing of Cotton Fabrics with a Citric Acid and Chitosan Treatment (*Lee, Kim*) 772
Coderch, L. Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*de la Maza, Manich, Martí, Parra, Serra*) 635
Phosphatidilcholine Liposomes as Vehicles for Disperse Dyes for Dyeing Polyester/Wool Blends (*Martí, de la Maza, Manich, Parra*) 209
Cooke, W. D. Investigating the Photo-Oxidation of Wool Using FT-Raman and FT-IR Spectroscopies (*Jones, Carr, Lewis*) 739
Cottenden, A. M. Wet Comfort of Small Disposable Incontinence Pads (*Thornburn, Dean, Fader, Brooks*) 479
Cram, Lisa A. Enzymatic Hydrolysis to Improve Wetting and Absorbency of Polyester Fabrics (*Hsieh*) 311
Crook, LeGrand Carding Kenaf for Nonwovens (*Tao, Calamari*) 402
Crow, Rita M. The Interaction of Water with Fabrics (*Osczevski*) 280
Csiszár, Emília Combining Traditional Cotton Scouring with Cellulase Enzymatic Treatment (*Szakács, Rusznák*) .. 163
Cui, Xiaoliang Theoretical and Practical Aspects of Fiber Length Comparisons of Various Cottons (*Calamari, Suh*) 467
Cuminato, D. F. Evaluating Fabric Smoothness Appearance with a Laser Profilometer (*Xu, Keyes*) 900

Dale, J. Douglas Effects of Variations in Thermal Properties on the Performance of Flame Resistant Fabrics for Flash Fires (*Torvi*) 787
Dartman, Torbjörn Viscoelastic Properties of Nylon 6 Fibers and Corresponding Fiber Assemblies (*Seldén*) 264
Davies, G. C. Effect of Environmental Relative Humidity and Damage on the Tensile Properties of Flax and Nettle Fibers (*Bruce*) 623
Dean, G. E. Wet Comfort of Small Disposable Incontinence Pads (*Cottenden, Thornburn, Fader, Brooks*) 479
De Boos, A. Tropical-Weight Wool-Rich Blend Fabrics with Unique Draping Characteristics (*Arnold*) 564
de la Maza, A. Phosphatidilcholine Liposomes as Vehicles for Disperse Dyes for Dyeing Polyester/Wool Blends (*Martí, Coderch, Manich, Parra*) 209
Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*Coderch, Manich, Martí, Parra, Serra*) ... 635
Dent, R. W. Reply to "Comments on 'Measuring Fiber Orientation in Nonwovens' " (*Pourdeyhimi*) 307
Dodd, K. J. Ultraviolet Radiation Curing Treatments for Shrink-Resistant Wool Fabric Part I: Monomer Systems (*Carr, Byrne*) 10
Dolecek, Valter An Alternative Way to Monitor H_2O_2 Decomposition in Bleaching Solutions (*Stana-Kleinscheck, Golcer, Ribitsch*) 320
Dyson, H. M. Moisture Vapor Transport Through Waterproof Breathable Fabrics and Clothing Systems Under a Temperature Gradient (*Gretton, Brook, Harlock*) 936

El Mogahzy, Yehia Effects of Scouring with Enzymes, Organic Solvents, and Caustic Soda on the Properties of Hydrogen Peroxide Bleached Cotton Yarn (*Buschle-Diller, Inglesby, Zeronian*) 920
Evaluating Staple Fiber Processing Propensity Part I: Processing Propensity of Cotton Fibers (*Broughton, Guo, Taylor*) 835
Part II: Processing Propensity of Polyester/Cotton Blends (*Broughton, Guo, Rollins*) 907
Enlow, R. L. Effects of Repeated Extention and Recovery on Selected Physical Properties of ISO-301 Stitched Seams Part II: Theoretical Model (*Webster, Laing*) .. 881
Eriksson, Karl-Erik L. Chemical/Physical Retting of Flax Using Detergent and Oxalic Acid at High pH (*Henriksson, Kimmel, Akin*) 942
Structural Effects on Flax Stems of Three Potential Retting Fungi (*Akin, Rigsby, Henriksson*) 515

Fader, M. J. Wet Comfort of Small Disposable Incontinence Pads (*Cottenden, Thornburn, Dean, Brooks*) 479
Fan, J. A Worsted Fabric Expert System Part I: System Development (*Hunter*) 680
Part II: An Artificial Neural Network Model for Predicting the Properties of Worsted Fabrics (*Hunter*) 763
Fan, Kuo-Chin Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Wang, Chang, Wang, Jou, Kao*) 179
Fang, C. Cotton Color Measurements by an Imaging Colorimeter (*Xu, Huang, Watson*) 351
Investigating New Factors in Cotton Color Grading (*Xu, Watson*) 779
Feughelman, M. Hexagonal Packing of Intermediate Filaments (Microfibrils) in α-Keratin Fibers (*James*) 110
Freeman, Harold S. Iron Salts in the Post-Metallization of Mordant Dyes (*Bardole, Reife*) 141
Fujiwara, Tomoko Analytical Technique for Characterizing the Initial Stage of the Dyeing Process (*Muraoka, Ito, Igarashi, Nishizawa*) 105

Gandhi, Sanjeev A Study of Smoldering Conditions in Upholstery Fabrics Using Thermal Imaging (*Spivak, Pourdeyhimi*) 687
Ghosh, Subhas Influence of Waste Polymer Inclusion on the Performance of Oriented Polypropylene Geotextile Tapes Part II: Effect on Tape Structure and Morphology (*Horrocks*) 473
Ghosh, T. K. On-Line Measurement of Fabric Bending Behavior Part II: Effects of Fabric Nonlinear Bending Behavior (*Zhou*) 533
Giraud, H. Three-Dimensional Modeling of the Behavior of Geotextile Sheets as Membranes (*Villard*) 797
Godfrey, Thomas A. Damage Growth in Prestressed Plain Weave Fabrics (*Rossettos*) 359
Gok, Telem Comparing Dynamic and Static Methods for Measuring Thermal Conductive Properties of Textiles (*Jirsak, Ozipek, Pan*) 47
Golcer, Mateja An Alternative Way to Monitor H_2O_2 Decomposition in Bleaching Solutions (*Stana-Kleinscheck, Ribitsch, Dolecek*) 320
Goswami, Bhuvenesh C. Finite Element Modeling of the Nonuniform Deformation of Spun-Bonded Nonwovens (*Bais-Singh, Biggers*) 327
Predicting the Biaxial Tensile Deformation Behavior of Spunbonded Nonwovens (*Bais-Singh*) 219
Strain Rate in Dynamic Tensile Testing (*Vangheluwe*) 150
Gretton, J. C. Moisture Vapor Transport Through Waterproof Breathable Fabrics and Clothing Systems Under a Temperature Gradient (*Brook, Dyson, Harlock*) 936
Guo, Chen Single-Step Dyeing and Formaldehyde-Free Durable Press Finishing of Cotton Fabric (*Raheel*) 571
Guo, Hong Evaluating Staple Fiber Processing Propensity Part I: Processing Propensity of Cotton Fibers (*El Mogahzy, Broughton, Taylor*) 835
Part II: Processing Propensity of Polyester/Cotton Blends (*El Mogahzy, Broughton, Rollins*) 907

Hallen, Richard T. Advances in Carbon Dioxide Based Sizing and Desizing (*Bowman, Reade, Butenhoff*) 732
Han, Tsung-Yuan Crosslinking of Sulfonated Cotton Cellulose Part I: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Chen*) 115
Hansen, Steven M. A Model for the Tensile Fracture Behavior of Air-Jet Spun Yarns (*Rajamanickam, Jayaraman*) 655
Interaction of Process and Material Parameters in Air-Jet Spinning (*Rajamanickam, Patel, Jayaraman*) 708
Hardalov, I. Quality Control of Silicone Softener Application (*Tzanov, Betcheva, Hes*) 749
Hardin, Ian R. Treating Cotton with Cellulases and Pectinases: Effects of Cuticle and Fiber Properties (*Li*) 671
Harlock, S. C. Moisture Vapor Transport Through Waterproof Breathable Fabrics and Clothing Systems Under a Temperature Gradient (*Gretton, Brook, Dyson*) 936
Predicting Energy Requirements for Moulding Flexible Polyurethane Foam Sheets (*Yu, Yeung, Leaf*) 289
Hartzell, M. Michelle Enzymatic Scouring to Improve Cotton Fabric Wettability (*Hsieh*) 233
Hashimoto, Toshimasa Flame Retardation of Cellulosic Fibers as Characterized by Thermal Degradation Behavior (*Nakanishi*) 807
Hatakeyama, T. Relationship Between Flame Retardation and Phase Transition Behavior of Polyester Fabrics Treated with a Bromine-Containing Compound (*Kubokawa*) 502
Hautojärvi, Joni Characterizing Spin Finish Layers on Polypropylene Fiber Surfaces by Means of Scanning Force Microscopy Techniques (*Leijala*) 193
Henriksson, Gunnar Chemical/Physical Retting of Flax Using Detergent and Oxalic Acid at High pH (*Eriksson, Kimmel, Akin*) 942
Structural Effects on Flax Stems of Three Potential Retting Fungi (*Akin, Rigsby, Eriksson*) 515
Hes, L. Quality Control of Silicone Softener Application (*Tzanov, Betcheva, Hardalov*) 749
Hinrichsen, G. Influence of Hydrolytic and Chemical Treatment on the Mechanical Properties of Aramid and Copolyaramid Fibers (*Springer, Obaid, Prabawa*) 588
Holcombe, B. V. Mathematical Simulation of Heat and Moisture Transfer in a Human-Clothing-Environment System (*Li*) 389
Hong, Young-Keun Structure of Regenerated Cellulose Fibers from DMAc/LiCl Solution (*Chung, Lee*) 65
Hori, T. Preparation of Organic Solvent-Soluble Proteins and Their Application: Solute Permeabilities and Dyeing Properties of Polyacrylonitrile/Modified Protein Composite Membranes (*Park, Yamaguchi, Yamakoshi*) ... 127
Horrocks, A. Richard Influence of Waste Polymer Inclusion on the Performance of Oriented Polypropylene Geotextile Tapes Part II: Effect on Tape Structure and Morphology (*Ghosh*) 473
Howley, Phyllis S. Molecular Weight of Cotton Cellulose: Effect of Treatment with a Total Cellulase (*Rousselle*) 606
Hsieh, Chien-Teng Theoretical Control and Experimental Verification of Carded Web Density Part I: Dynamic System Analysis and Controller Design (*Kuo, Wang*) ... 873
Hsieh, You-Lo Dyeing Characteristics of Acala Cotton Seed Fibers (*Thompson*) 493
Enzymatic Hydrolysis to Improve Wetting and Absorbency of Polyester Fabrics (*Cram*) 311
Enzymatic Scouring to Improve Cotton Fabric Wettability (*Hartzell*) 233
Hu, Jinlian Drape Behavior of Woven Fabrics with Seams (*Chung*) 913
Effect of Fabric Mechanical Properties on Drape (*Chan*) 57
Modeling Uniaxial Tensile Properties of Multiaxial Warp Knitted Fabrics (*Jiang, Ko*) 828
Huang, R. Cotton Color Measurements by an Imaging Colorimeter (*Xu, Fang, Watson*) 351
Hunter, L. A Worsted Fabric Expert System Part I: System Development (*Fan*) 680
Part II: An Artificial Neural Network Model for Predicting the Properties of Worsted Fabrics (*Fan*) ... 763
Huson, M. G. Physical Properties of Wool Fibers in Electrolyte Solutions 595

Igarashi, Chiaki Analytical Technique for Characterizing the Initial Stage of the Dyeing Process (*Muraoka, Ito, Fujiwara, Nishizawa*) 105
Inglesby, M. K. Effects of Scouring with Enzymes, Organic Solvents, and Caustic Soda on the Properties of Hydrogen Peroxide Bleached Cotton Yarn (*Buschle-Diller, El Mogahzy, Zeronian*) 920
Ishikawa, Yusai Dyeing Acetate Fibers with 1,4-Diaminoanthraquinone Using Didodecyldimethylammonium Bromide as the Dye Vehicle (*Kim, Kono, Takagishi*) 422
Ito, Hiraku Analytical Technique for Characterizing the Initial Stage of the Dyeing Process (*Muraoka, Fujiwara, Igarashi, Nishizawa*) 105
Iype, Cherian Nep Structure Identification and Analysis Using Image Processing Methods (*Wan*) 889
Tension Variations During Cone Winding on an Open-End Spinning System (*Babaarslan*) 649

James, Veronica J. Hexagonal Packing of Intermediate Filaments (Microfibrils) in α-Keratin Fibers (*Feughelman*) 110
Intermediate Filament Packing in α-Keratin of Echidna Quill (*Amemiya*) 167
Järvelä, Pentti Studies of Webbings Under Multiaxial Dynamic Loading (*Taipalus*) 553
Jayaraman, Sundaresan A Model for the Tensile Fracture Behavior of Air-Jet Spun Yarns (*Rajamanickam, Hansen*) 655
Interaction of Process and Material Parameters in Air-Jet Spinning (*Rajamanickam, Patel, Hansen*) 708
Jiang, Yaming Modeling Uniaxial Tensile Properties of Multiaxial Warp Knitted Fabrics (*Hu, Ko*) 828
Jiang, Yanqiu Nonformaldehyde Durable Press Finishing of Cotton Fabrics by Combining Citric Acid with Polymers of Maleic Acid (*Yang, Xu, Li*) 457
Jirsak, Oldich Comparing Dynamic and Static Methods for Measuring Thermal Conductive Properties of Textiles (*Gok, Ozipek, Pan*) 47
Jones, D. C. Investigating the Photo-Oxidation of Wool Using FT-Raman and FT-IR Spectroscopies (*Carr, Cooke, Lewis*) 739
Jou, Chi-Hsiung Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Fan, Wang, Chang, Wang, Kao*) 179

Kan, C. W. Effect of Low Temperature Plasma, Chlorination, and Polymer Treatments and Their Combinations on the Properties of Wool Fibers (*Chan, Yuen, Miao*) 814
Kang, In-Sook Mechanical Strength of Durable Press Finished Cotton Fabrics Part I: Effects of Acid Degradation and Crosslinking of Cellulose by Polycarboxylic Acids (*Yang, Wei, Lickfield*) 865
Kang, Tae Jin Crosslinking of Wool with Epoxide (*Moon*) 719
Kao, I-Feng Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Fan, Wang, Chang, Wang, Jou*) 179
Kawabata, S. Optimum Silhouette Design for Ladies' Garments Based on the Mechanical Properties of a Fabric (*Niwa, Nakanishi, Ayada*) 578
Kawahara, Yutaka Influence of Steam Treatment on Crystalline Regions of Silks 385
Keyes, N. M. Evaluating Fabric Smoothness Appearance with a Laser Profilometer (*Xu, Cuminato*) 900
Kilburn, Douglas Indigo Backstaining During Cellulase Washing (*Cavaco-Paulo, Morgado, Almeida*) 398
Kim, Hyungsup Signal Analysis of Dynamic Forces Experienced by Individual Needles in High Speed Needle Punching (*Seyam, Mohamed*) 296
Kim, Ik-Soo Dyeing Acetate Fibers with 1,4-Diaminoanthraquinone Using Didodecyldimethylammonium Bromide as the Dye Vehicle (*Ishikawa, Kono, Takagishi*) 422
Kim, Jin-Woo Durable Press and Antimicrobial Finishing of Cotton Fabrics with a Citric Acid and Chitosan Treatment (*Chung, Lee*) 772
Kim, Sang Yong Numerical Simulation of the Melt Spinning of Hollow Fibers (*Oh, Lee*) 449
Kim, Young Ho Synthesis of a Quaternary Ammonium Derivative of Chitosan and Its Application to a Cotton Antimicrobial Finish (*Choi, Yoon*) 428
Kimmel, Linda Chemical/Physical Retting of Flax Using Detergent and Oxalic Acid at High pH (*Henriksson, Eriksson, Akin*) 942
Ko, Frank Modeling Uniaxial Tensile Properties of Multiaxial Warp Knitted Fabrics (*Hu, Jiang*) 828
Kohn, Inez L. Using Video Capture and Image Analysis to Quantify Apparel Fit (*Ashdown*) 17
Konda, Fujio False Twist in Core Yarn Friction Spinning (*Merati, Okamura, Marui*) 441
Filament Pre-tension in Core Yarn Friction Spinning (*Merati, Okamura, Marui*) 254
Kono, Kenji Dyeing Acetate Fibers with 1,4-Diaminoanthraquinone Using Didodecyldimethylammonium Bromide as the Dye Vehicle (*Kim, Ishikawa, Takagishi*) 422
Kubokawa, H. Relationship Between Flame Retardation and Phase Transition Behavior of Polyester Fabrics Treated with a Bromine-Containing Compound (*Hatakeyama*) 502
Kuo, Chung-Feng Jeffrey Theoretical Control and Experimental Verification of Carded Web Density Part I: Dynamic System Analysis and Controller Design (*Wang, Hsieh*) 873

Laing, R. M. Effects of Repeated Extension and Recovery on Selected Physical Properties of ISO-301 Stitched Seams Part I: Load at Maximum Extension and at Break (*Webster, Niven*) 854
Part II: Theoretical Model (*Webster, Enlow*) 881
Leaf, G. A. V. Predicting Energy Requirements for Moulding Flexible Polyurethane Foam Sheets (*Yu, Yeung, Harlock*) 289
Lee, Jiunn-Yih Blend Uniformity of a Filament and Staple Composite Yarn and Its Effect on Dyeing (*Su, Wu*) 528
Drafting Force of Fine Denier Polyester Fibers (*Su, Lo*) 559
Lee, Kwang-Keun Durable Press and Antimicrobial Finishing of Cotton Fabrics with a Citric Acid and Chitosan Treatment (*Chung, Kim*) 772
Lee, Moo Seok Numerical Simulation of the Melt Spinning of Hollow Fibers (*Oh, Kim*) 449
Lee, Muncheul Effect of Low Temperature Plasma Treatment on Color of Wool and Nylon 6 Fabrics Dyed with Natural Dyes (*Wakida, Cho, Choi, Tokino*) 848
Lee, Wha-Seop Structure of Regenerated Cellulose Fibers from DMAc/LiCl Solution (*Hong, Chung*) 65
Leijala, Antti Characterizing Spin Finish Layers on Polypropylene Fiber Surfaces by Means of Scanning Force Microscopy Techniques (*Hautojärvi*) 193
Leu, Ching-Shyang Cross-Sectional Structure of Composite Yarns (*Su*) 715
Lewis, D. M. Investigating the Photo-Oxidation of Wool Using FT-Raman and FT-IR Spectroscopies (*Jones, Carr, Cooke*) 739
Li, Shiqi Nonformaldehyde Durable Press Finishing of Cotton Fabrics by Combining Citric Acid with Polymers of Maleic Acid (*Yang, Xu, Jiang*) 457
Li, Y. Mathematical Simulation of Heat and Moisture Transfer in a Human-Clothing-Environment System (*Holcombe*) ... 389
Li, Yonghua Treating Cotton with Cellulases and Pectinases: Effects of Cuticle and Fiber Properties (*Hardin*) 671

Liang, Tsair-Chun Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Yau, Sun, Wang, Lin, Lien*) 121
Liao, Tianyi A Novel Approach to Three-Dimensional Modeling of Interlaced Fabric Structures (*Adanur*) 841
Computer Simulation of Mechanical Properties of Nonwoven Geotextiles in Soil-Fabric Interaction (*Adanur*) 155
Lickfield, Gary C. Mechanical Strength of Durable Press Finished Cotton Fabrics Part I: Effects of Acid Degradation and Crosslinking of Cellulose by Polycarboxylic Acids (*Kang, Yang, Wei*) 865
Lieberman, Michael Determining Gravimetric Bark Content in Cotton with Machine Vision (*Bragg, Brennan*) ... 94
Lien, Rong Chergn Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Liang, Yau, Sun, Wang, Lin*) 121
Lin, Horng Chyi Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Liang, Yau, Sun, Wang, Lien*) 121
Lo, Kuo-Jung Drafting Force of Fine Denier Polyester Fibers (*Su, Lee*) 559

Ma, Jin Feng Effect of Solvents on Physical Properties and Dyeability of Poly(ethylene-2,6-naphthalenedicarboxylate) Fibers (*Wang*) 611
Madeley, Tony Physical Properties and Processing of Fine Merino Lamb's Wool Part I: Wool Growth and Softness of Handle (*Postle, Mahar*) 545
Part II: Softness and Objective Characteristics of Lamb's Wool (*Postle, Mahar*) 663
Mahar, Trevor Physical Properties and Processing of Fine Merino Lamb's Wool Part I: Wool Growth and Softness of Handle (*Madeley, Postle*) 545
Part II: Softness and Objective Characteristics of Lamb's Wool (*Madeley, Postle*) 663
Manich, A. M. Comments on "Measuring Fiber Orientation in Nonwovens" (*Barella*) 228
Comments on "Yarn and Knitting Parameters Affecting Fly During Weft Knitting of Staple Yarns" (*Barella*) 152
Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*de la Maza, Coderch, Martí, Parra, Serra*) 635
Phosphatidilcholine Liposomes as Vehicles for Disperse Dyes for Dyeing Polyester/Wool Blends (*Martí, Coderch, de la Maza, Parra*) 209
Martí, M. Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*de la Maza, Coderch, Manich, Parra, Serra*) 635
Phosphatidilcholine Liposomes as Vehicles for Disperse Dyes for Dyeing Polyester/Wool Blends (*Coderch, de la Maza, Manich, Parra*) 209
Marui, Etsuo False Twist in Core Yarn Friction Spinning (*Merati, Konda, Okamura*) 441
Filament Pre-tension in Core Yarn Friction Spinning (*Merati, Konda, Okamura*) 254
Matsumoto, Yoichi A Geometric Analysis of the Stitch Form of a Circular Plain Knit Fabric Inserted Over a Cylinder (*Morooka, Morooka*) 930
Mattina, C. F. Quantifying Fibrous Debris Released by and Generated from Wiping Materials (*Oathout*) 756
May, O. Lloyd Breeding Cottons with High Yarn Tenacity (*Taylor*) 302
Merati, Ali Akbar False Twist in Core Yarn Friction Spinning (*Konda, Okamura, Marui*) 441
Filament Pre-tension in Core Yarn Friction Spinning (*Konda, Okamura, Marui*) 254
Miao, Menghe H. Effect of Low Temperature Plasma, Chlorination, and Polymer Treatments and Their Combinations on the Properties of Wool Fibers (*Kan, Chan, Yuen*) ... 814
Mechanisms of Yarn Twist Blockage 135
Millington, Keith Using Ultraviolet Radiation to Reduce Pilling of Knitted Wool and Cotton 413
Miwa, Minoru Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part IV: Effect of Fiber Fineness on Mechanical Properties (*Watanabe, Yokoi, Nakayama*) 77
Part V: Effect of Punching Density on Mechanical Properties (*Watanabe, Yokoi, Nakayama*) 171
Mohamed, Asaad Signal Analysis of Dynamic Forces Experienced by Individual Needles in High Speed Needle Punching (*Seyam, Kim*) 296
Montalvo, J. G., Jr. Reply to "Comments on 'Theoretical and Experimental Profiles of Fiber Fineness and Maturity Using the Shirley Micromat and the Zellweger Uster Advanced Fiber Information System Module'" 698
Moon, Su Jin Crosslinking of Wool with Epoxide (*Kang*) 719
Morgado, Jose Indigo Backstaining During Cellulase Washing (*Cavaco-Paulo, Almeida, Kilburn*) 398
Morooka, Harumi A Geometric Analysis of the Stitch Form of a Circular Plain Knit Fabric Inserted Over a Cylinder (*Morooka, Matsumoto*) 930
Morooka, Hideo A Geometric Analysis of the Stitch Form of a Circular Plain Knit Fabric Inserted Over a Cylinder (*Matsumoto, Morooka*) 930
Mukhopadhyay, S. K. Dynamic Air Permeability Behavior of Nylon 66 Airbag Fabrics (*Partridge, Barnes*) 726
Muraoka, Yoichiro Analytical Technique for Characterizing the Initial Stage of the Dyeing Process (*Ito, Fujiwara, Igarashi, Nishizawa*) 105

Nakanishi, Masae Optimum Silhouette Design for Ladies' Garments Based on the Mechanical Properties of a Fabric (*Niwa, Ayada, Kawabata*) 578
Nakanishi, Shigeko Flame Retardation of Cellulosic Fibers as Characterized by Thermal Degradation Behavior (*Hashimoto*) 807
Nakayama, Akira Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part IV: Effect of Fiber Fineness on Mechanical Properties (*Watanabe, Miwa, Yokoi*) 77
Part V: Effect of Punching Density on Mechanical Properties (*Watanabe, Miwa, Yokoi*) 171
Nishimatsu, Toyonori Comfort Pressure Evaluation of Men's Socks Using an Elastic Optical Fiber (*Ohmura, Sekiguchi, Toba, Shoh*) 435
Nishizawa, Kazuo Analytical Technique for Characterizing the Initial Stage of the Dyeing Process (*Muraoka, Ito, Fujiwara, Igarashi*) 105
Niven, B. E. Effects of Repeated Extension and Recovery on Selected Physical Properties of ISO-301 Stitched Seams Part I: Load at Maximum Extension and at Break (*Webster, Laing*) 854
Niwa, Masako Optimum Silhouette Design for Ladies' Garments Based on the Mechanical Properties of a Fabric (*Nakanishi, Ayada, Kawabata*) 578

Oathout, J. M. Quantifying Fibrous Debris Released by and Generated from Wiping Materials (*Mattina*) 756
Obaid, A. Abu Influence of Hydrolytic and Chemical Treatment on the Mechanical Properties of Aramid and Copolyaramid Fibers (*Springer, Prabawa, Hinrichsen*) 588
Obendorf, S. Kay Carboxymethylated Cotton Fabric for Pesticide-Protective Work Clothing (*Rácz, Borsa*) 69

Oh, Tae Hwan Numerical Simulation of the Melt Spinning of Hollow Fibers (*Lee, Kim*) 449
Ohmura, Kenichi Comfort Pressure Evaluation of Men's Socks Using an Elastic Optical Fiber (*Nishimatsu, Sekiguchi, Toba, Shoh*) 435
Okamura, Masaaki False Twist in Core Yarn Friction Spinning (*Merati, Konda, Marui*) 441
Filament Pre-tension in Core Yarn Friction Spinning (*Merati, Konda, Marui*) 254
Osczevski, Randall J. The Interaction of Water with Fabrics (*Crow*) 280
Ozipek, Bulent Comparing Dynamic and Static Methods for Measuring Thermal Conductive Properties of Textiles (*Jirsak, Gok, Pan*) 47

Pan, Ning Comparing Dynamic and Static Methods for Measuring Thermal Conductive Properties of Textiles (*Jirsak, Gok, Ozipek*) 47
Park, J. C. Preparation of Organic Solvent-Soluble Proteins and Their Application: Solute Permeabilities and Dyeing Properties of Polyacrylonitrile/Modified Protein Composite Membranes (*Yamaguchi, Hori, Yamakoshi*) 127
Parra, J. L. Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*de la Maza, Coderch, Manich, Martí, Serra*) 635
Phosphatidilcholine Liposomes as Vehicles for Disperse Dyes for Dyeing Polyester/Wool Blends (*Martí, Coderch, de la Maza, Manich*) 209
Partridge, J. F. Dynamic Air Permeability Behavior of Nylon 66 Airbag Fabrics (*Mukhopadhyay, Barnes*) 726
Patel, Manish Interaction of Process and Material Parameters in Air-Jet Spinning (*Rajamanickam, Hansen, Jayaraman*) 708
Postle, Ron Physical Properties and Processing of Fine Merino Lamb's Wool Part I: Wool Growth and Softness of Handle (*Madeley, Mahar*) 545
Part II: Softness and Objective Characteristics of Lamb's Wool (*Madeley, Mahar*) 663
Pourdeyhimi, Behnam A Study of Smoldering Conditions in Upholstery Fabrics Using Thermal Imaging (*Gandhi, Spivak*) 687
Reply to "Comments on 'Measuring Fiber Orientation in Nonwovens' " (*Dent*) 307
Prabawa, A. B. Influence of Hydrolytic and Chemical Treatment on the Mechanical Properties of Aramid and Copolyaramid Fibers (*Springer, Obaid, Hinrichsen*) 588
Price, J. B. Properties of Fabrics Made from Cotton/Polyethylene Blend Yarns (*Sawhney, Ruppenicker*) 203

Qiu, Yiping Modeling for Suppression of Moisture/Temperature Induced Dimensional Changes in Unbalanced Fibrous Composite Structures with Perfect Bonding (*Backer*) 1

Rácz, Ilona Carboxymethylated Cotton Fabric for Pesticide-Protective Work Clothing (*Borsa, Obendorf*) 69
Raheel, Mastura Single-Step Dyeing and Formaldehyde-Free Durable Press Finishing of Cotton Fabric (*Guo*) 571
Rajamanickam, Rangaswamy A Model for the Tensile Fracture Behavior of Air-Jet Spun Yarns (*Hansen, Jayaraman*) 655
Interaction of Process and Material Parameters in Air-Jet Spinning (*Patel, Hansen, Jayaraman*) 708
Reade, Nathan H. Advances in Carbon Dioxide Based Sizing and Desizing (*Bowman, Hallen, Butenhoff*) 732
Reife, Abraham Iron Salts in the Post-Metallization of Mordant Dyes (*Bardole, Freeman*) 141
Ribitsch, Volker An Alternative Way to Monitor H_2O_2 Decomposition in Bleaching Solutions (*Stana-Kleinscheck, Golcer, Dolecek*) 320
Characterizing Textile Fiber Surfaces with Streaming Potential Measurements (*Stana-Kleinscheck*) 701
Rigsby, Luanne L. Structural Effects on Flax Stems of Three Potential Retting Fungi (*Akin, Henriksson, Eriksson*) 515
Rinderer, Beate Quantitative Determination of BTCA Bound to Cellulosic Material by Means of Isocratic HPLC (*Schramm, Bobleter*) 821
Rivin, D. Vapor Breakthrough from Liquid Drops Impacting Air-Permeable Chemical Protective Fabric (*Scheller, Segars*) 36
Rollins, Chad Evaluating Staple Fiber Processing Propensity Part II: Processing Propensity of Polyester/Cotton Blends (*El Mogahzy, Broughton, Guo*) 907
Rossettos, John N. Damage Growth in Prestressed Plain Weave Fabrics (*Godfrey*) 359
Rousselle, Marie-Alice Molecular Weight of Cotton Cellulose: Effect of Treatment with a Total Cellulase (*Howley*) 606
Ruppenicker, G. F. Properties of Fabrics Made from Cotton/Polyethylene Blend Yarns (*Sawhney, Price*) 203
Rusznák, István Combining Traditional Cotton Scouring with Cellulase Enzymatic Treatment (*Csiszár, Szakács*) ... 163

Sanjiv, Malkan Evolution of Structure and Properties in a Spunbonding Process (*Zhang, Bhat, Wadsworth*) 27
Sasser, Preston E. Reply to "Comments on 'Interpretation of Single Fiber, Bundle, and Yarn Tenacity Data' " 386
Sawhney, A. P. S. Properties of Fabrics Made from Cotton/Polyethylene Blend Yarns (*Ruppenicker, Price*) 203
Sawatari, Chie Durable Water-Repellent Cotton Fabrics Prepared by Low-Degree Substitution of Long Chain Alkyl Groups (*Sekiguchi, Yagi*) 508
Scheller, B. L. Vapor Breakthrough from Liquid Drops Impacting Air-Permeable Chemical Protective Fabric (*Rivin, Segars*) 36
Schoppee, Meredith M. A Poisson Model of Nonwoven Fiber Assemblies in Compression at High Stress 371
Schramm, Christian Quantitative Determination of BTCA Bound to Cellulosic Material by Means of Isocratic HPLC (*Rinderer, Bobleter*) 821
Segars, R. A. Vapor Breakthrough from Liquid Drops Impacting Air-Permeable Chemical Protective Fabric (*Scheller, Rivin*) 36
Sekiguchi, Sadamu Comfort Pressure Evaluation of Men's Socks Using an Elastic Optical Fiber (*Nishimatsu, Ohmura, Toba, Shoh*) 435
Sekiguchi, Yuka Durable Water-Repellent Cotton Fabrics Prepared by Low-Degree Substitution of Long Chain Alkyl Groups (*Sawatari, Yagi*) 508
Seldén, Ragnar Viscoelastic Properties of Nylon 6 Fibers and Corresponding Fiber Assemblies (*Dartman*) 264
Sengupta, A. K. Comments on "Interpretation of Single Fiber, Bundle, and Yarn Tenacity Data" 386
Serra, S. Optimizing a Wool Dyeing Process with an Azoic 1:2 Metal Complex Dye Using Comercially Available Liposomes (*de la Maza, Coderch, Manich, Martí, Parra*) 635
Seyam, Abdelfattah M. Signal Analysis of Dynamic Forces Experienced by Individual Needles in High Speed Needle Punching (*Mohamed, Kim*) 296
Shoh, Kenji Comfort Pressure Evaluation of Men's Socks Using an Elastic Optical Fiber (*Nishimatsu, Ohmura, Sekiguchi, Toba*) 435
Solís, Carlos F. Analytical Determination of the Drying Characteristics of Carpet Tiles (*Wepfer*) 342

Spivak, Steven M. A Study of Smoldering Conditions in Upholstery Fabrics Using Thermal Imaging (*Gandhi, Pourdeyhimi*) 687
Springer, H. Influence of Hydrolytic and Chemical Treatment on the Mechanical Properties of Aramid and Copolyaramid Fibers (*Obaid, Prabawa, Hinrichsen*) 588
Stana-Kleinscheck, K. An Alternative Way to Monitor H_2O_2 Decomposition in Bleaching Solutions (*Golcer, Ribitsch, Dolecek*) 320
Characterizing Textile Fiber Surfaces with Streaming Potential Measurements (*Ribitsch*) 701
Su, Ching-Iuan Blend Uniformity of a Filament and Staple Composite Yarn and Its Effect on Dyeing (*Wu, Lee*) 528
Cross-Sectional Structure of Composite Yarns (*Leu*) ... 715
Drafting Force of Fine Denier Polyester Fibers (*Lo, Lee*) 559
Suh, Moon W. Theoretical and Practical Aspects of Fiber Length Comparisons of Various Cottons (*Cui, Calamari*) 467
Sun, Hui Computer Aided Analysis of Loom Beating-up Mechanisms (*Wang*) 630
Sun, M. N. Effect of Strand Spacing and Twist Multiplier on Cotton Sirospun Yarn (*Cheng*) 520
Sun, Wan-Li Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Liang, Yau, Wang, Lin, Lien*) 121
Szakács, György Combining Traditional Cotton Scouring with Cellulase Enzymatic Treatment (*Csiszár, Rusznák*) .. 163

Taipalus, Ritta Studies of Webbings Under Multiaxial Dynamic Loading (*Järvelä*) 553
Takagishi, Toru Dyeing Acetate Fibers with 1,4-Diaminoanthraquinone Using Didodecyldimethylammonium Bromide as the Dye Vehicle (*Kim, Ishikawa, Kono*) 422
Tao, Weiying Carding Kenaf for Nonwovens (*Calamari, Crook*) 402
Taylor, Robert A. Breeding Cottons with High Yarn Tenacity (*May*) 302
Evaluating Staple Fiber Processing Propensity Part I: Processing Propensity of Cotton Fibers (*El Mogahzy, Broughton, Guo*) 835
Thompson, J. A. Dyeing Characteristics of Acala Cotton Seed Fibers (*Hsieh*) 493
Thornburn, P. H. Wet Comfort of Small Disposable Incontinence Pads (*Cottenden, Dean, Fader, Brooks*) 479
Toba, Eiji Comfort Pressure Evaluation of Men's Socks Using an Elastic Optical Fiber (*Nishimatsu, Ohmura, Sekiguchi, Shoh*) 435
Tokino, Seiji Effect of Low Temperature Plasma Treatment on Color of Wool and Nylon 6 Fabrics Dyed with Natural Dyes (*Wakida, Cho, Choi, Lee*) 848
Torvi, David A. Effects of Variations in Thermal Properties on the Performance of Flame Resistant Fabrics for Flash Fires (*Dale*) 787
Traore, M. K. Influence of Direct and Reactive Dyes on the Enzymatic Hydrolysis of Cotton (*Buschle-Diller*) ... 185
Tucker, Paul A. Scale Heights of Chemically Treated Wool and Hair Fibers 229
Tzanov, Tz. Quality Control of Silicone Softener Application (*Betcheva, Hardalov, Hes*) 749

Vangheluwe, Lieven Strain Rate in Dynamic Tensile Testing (*Goswami*) 150
Villard, P. Three-Dimensional Modeling of the Behavior of Geotextile Sheets as Membranes (*Giraud*) 797

Wadsworth, Larry Evolution of Structure and Properties in a Spunbonding Process (*Zhang, Bhat, Sanjiv*) 27
Wakida, Tomiji Effect of Low Temperature Plasma Treatment on Color of Wool and Nylon 6 Fabrics Dyed with Natural Dyes (*Cho, Choi, Tokino, Lee*) 848
Wan, T. R. Nep Structure Identification and Analysis Using Image Processing Methods (*Iype*) 889
Wang, Chang-Chung Theoretical Control and Experimental Verification of Carded Web Density Part I: Dynamic System Analysis and Controller Design (*Kuo, Hsieh*) 873
Wang, Lijing Diameter and Strength Distributions of Merino Wool in Early Stage Processing (*Wang*) 87
Wang, Nai-Chueh Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Liang, Yau, Sun, Lin, Lien*) 121
Wang, Ping Yueh Effect of Solvents on Physical Properties and Dyeability of Poly(ethylene-2,6,-naphthalenedicarboxylate) Fibers (*Ma*) 611
Wang, Tzu-Po Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Fan, Wang, Chang, Jou, Kao*) 179
Wang, Youjiang Computer Aided Analysis of Loom Beating-up Mechanisms (*Sun*) 630
Wang, Yuan-Kai Fabric Classification Based on Recognition Using a Neural Network and Dimensionality Reduction (*Fan, Chang, Wang, Jou, Kao*) 179
Wang, Xungai Diameter and Strength Distributions of Merino Wool in Early Stage Processing (*Wang*) 87
Watanabe, Akira Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part IV: Effect of Fiber Fineness on Mechanical Properties (*Miwa, Yokoi, Nakayama*) 77
Part V: Effect of Punching Density on Mechanical Properties (*Miwa, Yokoi, Nakayama*) 171
Watson, M. D. Cotton Color Measurements by an Imaging Colorimeter (*Xu, Fang, Huang*) 351
Investigating New Factors in Cotton Color Grading (*Xu, Fang*) 779
Webster, J. Effects of Repeated Extension and Recovery on Selected Physical Properties of ISO-301 Stitched Seams Part I: Load at Maximum Extension and at Break (*Laing, Niven*) 854
Part II: Theoretical Model (*Laing, Enlow*) 881
Wei, M. An Improved Capstan Equation for Nonflexible Fibers and Yarns (*Chen*) 487
Wei, Weishu Mechanical Strength of Durable Press Finished Cotton Fabrics Part I: Effects of Acid Degradation and Crosslinking of Cellulose by Polycarboxylic Acids (*Kang, Yang, Lickfield*) 865
Wepfer, William J. Analytical Determination of the Drying Characteristics of Carpet Tiles (*Solís*) 342
Wu, Wen-Yean Blend Uniformity of a Filament and Staple Composite Yarn and Its Effect on Dyeing (*Su, Lee*) 528

Xu, B. Cotton Color Measurements by an Imaging Colorimeter (*Fang, Huang, Watson*) 351
Evaluating Fabric Smoothness Appearance with a Laser Profilometer (*Cuminato, Keyes*) 900
Investigating New Factors in Cotton Color Grading (*Fang, Watson*) 779
Xu, Lan Nonformaldehyde Durable Press Finishing of Cotton Fabrics by Combining Citric Acid with Polymers of Maleic Acid (*Yang, Li, Jiang*) 457

Yagi, Tatsuhiko Durable Water-Repellent Cotton Fabrics Prepared by Low-Degree Substitution of Long Chain Alkyl Groups (*Sawatari, Sekiguchi*) 508
Yamaguchi, T. Preparation of Organic Solvent-Soluble Proteins and Their Application: Solute Permeabilities and Dyeing Properties of Polyacrylonitrile/Modified Protein Composite Membranes (*Park, Hori, Yamakoshi*) 127

Yamakoshi, K. Preparation of Organic Solvent-Soluble Proteins and Their Application: Solute Permeabilities and Dyeing Properties of Polyacrylonitrile/Modified Protein Composite Membranes (*Park, Yamaguchi, Hori*) 127
Yang, Charles Q. Mechanical Strength of Durable Press Finished Cotton Fabrics Part I: Effects of Acid Degradation and Crosslinking of Cellulose by Polycarboxylic Acids (*Kang, Wei, Lickfield*) 865
Nonformaldehyde Durable Press Finishing of Cotton Fabrics by Combining Citric Acid with Polymers of Maleic Acid (*Xu, Li, Jiang*) 457
Yang, Yiqi Effect of Salts on Physical Interactions in Wool Dyeing with Acid Dyes 615
Yau, Hon-Fai Classifying Textile Faults with a Back-Propagation Neural Network Using Power Spectra (*Chen, Liang, Sun, Wang, Lin, Lien*) 121
Yeung, K. W. Predicting Energy Requirements for Moulding Flexible Polyurethane Foam Sheets (*Yu, Harlock, Leaf*) 289
Yokoi, Teruyuki Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions Part IV: Effect of Fiber Fineness on Mechanical Properties (*Watanabe, Miwa, Nakayama*) 77
Part V: Effect of Punching Density on Mechanical Properties (*Watanabe, Miwa, Nakayama*) 171
Yoon, Jung Hee Synthesis of a Quaternary Ammonium Derivative of Chitosan and Its Application to a Cotton Antimicrobial Finish (*Kim, Choi*) 428
Yu, W. M. Predicting Energy Requirements for Moulding Flexible Polyurethane Foam Sheets (*Yeung, Harlock, Leaf*) 289
Yuen, C. W. M. Effect of Low Temperature Plasma, Chlorination, and Polymer Treatments and Their Combinations on the Properties of Wool Fibers (*Kan, Chan, Miao*) 814

Zeronian, S. H. Effects of Scouring with Enzymes, Organic Solvents, and Caustic Soda on the Properties of Hydrogen Peroxide Bleached Cotton Yarn (*Buschle-Diller, El Mogahzy, Inglesby*) 920
Zhang, Dong Evolution of Structure and Properties in a Spunbonding Process (*Bhat, Sanjiv, Wadsworth*) 27
Zhou, Naiyue On-Line Measurement of Fabric Bending Behavior Part II: Effects of Fabric Nonlinear Bending Behavior (*Ghosh*) 533

SUBJECT INDEX

Abrasion
of sized and desized yarns: carbon dioxide based; advances in *Bowman, Reade, Hallen, Butenhoff* 732
Absorption
of disposable pads: wet comfort related to absorption capacity and rewet properties *Cottenden, Thornburn, Dean, Fader, Brooks* 479
Acetates
dyeing of fibers: disperse dyeing with double-tailed surfactant *Kim, Ishikawa, Kono, Takagishi* 422
Acrylics
initial stage of dyeing: analytical technique for characterizing *Muraoka, Ito, Fujiwara, Igarashi, Nishizawa* .. 105
Ageing
enzyme stone washing: indigo backstaining during cellulase washing *Cavaco-Paulo, Morgado, Almeida, Kilburn* 398
of cotton cellulose: molecular weight of cotton after total cellulase treatment *Rousselle, Howley* 606
Air Permeability
of chemical protective fabric: vapor breakthrough from liquid drops *Scheller, Rivin, Segars* 36
Airbags
nylon 66 fabrics: dynamic air permeability of fabrics *Partridge, Mukhopadhyay, Barnes* 727
Aramids
chemical protective fabric: vapor breakthrough from liquid drops *Scheller, Rivin, Segars* 36
fatigue of nonwovens: behavior under hot press conditions; effect of fiber fineness and mechanical properties *Watanabe, Miwa, Yokoi, Nakayama* 77
fatigue of nonwovens: behavior under hot press conditions; effect of punching density *Watanabe, Miwa, Yokoi, Nakayama* 171
heat transfer in: effects of thermal properties on flame resistance in flash fires *Torvi, Dale* 787
hydrolytic and chemical treatment: influence of treatment on mechanical properties *Springer, Obaid, Prabawa, Hinrichsen* 588
Bast Fibers
flax and nettle fibers: effect of humidity and damage on tensile properties *Davies, Bruce* 623
kenaf: carding nonwoven webs on cotton card *Tao, Calamari, Crook* 402
Bending
capstan equation: improved equation for nonflexible fibers and yarns *Wei, Chen* 487
effect on drape: relationship with fabric drape coefficient *Hu, Chan* 57
fabric bending behavior: effects of nonlinear bending; online measurement *Zhou, Ghosh* 533
of textile webbings: studies under multiaxial dynamic loading *Taipalus, Järvelä* 553
Bleaching
of cotton fabric: alternative to monitor hydrogen peroxide decomposition *Stana-Kleinschek, Golcer, Ribitsch, Dolecek* 320
of cotton yarns: effect of scouring with enzymes, organic solvents, and caustic soda *Buschle-Diller, El Mogahzy, Inglesby, Zeronian* 920
Blends
cotton/polyethylene blends: properties of fabrics from blend yarns; Dyneema *Sawhney, Ruppenicker, Price* 203
Bonding
spunbonded polypropylene webs: evolution of structure and properties in process *Zhang, Bhat, Sanjiv, Wadsworth* 27
Braiding
of interlaced fabric structures: new approach to 3D modeling *Liao, Adanur* 841
Breaking Strength
of air-jet spun yarns: model for tensile fracture behavior *Rajamanickam, Hansen, Jayaraman* 654
of enzyme-aged cotton: molecular weight of cotton after total cellulase treatment *Rousselle, Howley* 606
Carding
carded web density: theoretical control; dynamic system analysis and controller design *Kuo, Wang, Hsieh* 873

of kenaf: carding nonwoven webs on cotton card *Tao, Calamari, Crook* 492
Carpets
drying of carpet tiles: analytical determination of drying characteristics *Solís, Wepfer* 342
Cashmere
scale heights of: chemically treated wool and hair fibers *Tucker* 229
Cellulose
regenerated cellulose fibers: structure of regenerated fibers from DMAc/LiCl solution *Hong, Chung, Lee* 65
Clothing
quantifying apparel fit: using video capture and image analysis for objective method *Kohn, Ashdown* 17
silhouette design: optimum design for garments based on fabric mechanical properties *Niwa, Nakanishi, Ayada, Kawabata* 578
stitched seam recovery: effects of repeated extension and recovery; load at maximum extension and break *Webster, Laing, Niven* 854
stitched seam recovery: effects of repeated extension and recovery; theoretical model *Webster, Laing, Enlow* .. 881
vapor transport through: moisture transport through breathable fabrics and clothing systems *Gretton, Brook, Dyson, Harlock* 936
Clothing, Protective
air permeability of: vapor breakthrough from liquid drops *Scheller, Rivin, Segars* 36
antimicrobial finished cotton: citric acid and chitosan treatment for DP/antimicrobial finish *Chung, Lee, Kim* ... 772
cotton antimicrobial finish: synthesis of a quaternary ammonium derivative of chitosan *Kim, Choi, Yoon* 428
pesticide-protective clothing: carboxymethylated cotton for agricultural work clothing *Rácz, Borsa, Obendorf* ... 69
Cohesion
of fine denier polyester: drafting force in the break draft zone *Su, Lo, Lee* 559
of polyester/cotton yarns: evaluating staple fiber processing; polyester/cotton blends *El Mogahzy, Broughton, Guo, Rollins* 907
of spun cotton fibers: evaluating staple fiber processing propensity *El Mogahzy, Broughton, Guo, Taylor* 835
Colorimetry
cotton color grading: investigating redness, chroma, yellow spots, trash *Xu, Fang, Watson* 779
to measure cotton color: imaging colorimeter *Xu, Fang, Huang, Watson* 351
Comfort
of clothing system: simulation of heat and moisture transfer in human-clothing-environment system *Li, Holcombe* 389
of disposable pads: wet comfort related to absorption capacity and rewet properties *Cottenden, Thornburn, Dean, Fader, Brooks* 479
of hydrolyzed polyester: improved wetting and absorbency with enzymes *Hsieh, Cram* 311
of men's socks: pressure evaluation using an elastic optical fiber *Nishimatsu, Ohmura, Sekiguchi, Toba, Shoh* ... 435
of wool-rich blends: tropical weight fabrics with unique draping characteristics *Arnold, De Boos* 564
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280
Composites
core yarn friction spinning: false twist distribution in filaments *Merati, Konda, Okamura, Marui* 441
cotton/nylon core yarns: filament pre-tension in friction spinning *Merati, Konda, Okamura, Marui* 254
filament and staple composite yarn: blend uniformity and effect on dyeing *Su, Wu, Lee* 528
PAN/modified protein membranes: organic solvent-soluble proteins; solute permeabilities and dyeing properties *Park, Yamaguchi, Hori, Yamakoshi* 127
parallel fibrous composites: modeling for suppression of moisture/temperature induced dimensional changes in *Qui, Backer* 1
rayon/polyester yarns: cross-sectional structure of yarns *Su, Leu* 715
Compression
of fine Merino lamb's wool: physical properties and processing; growth and softness *Madeley, Postle, Mahar* 545
of fine Merino lamb's wool: softness and objective characteristics *Madeley, Postle, Mahar* 663
of nonwoven assemblies: fiber assemblies at high stress *Schoppee* 371
of nylon fiber assemblies: viscoelastic properties of fibers and assemblies *Sélden, Dartman* 264
of textile assemblies: new method for evaluating eletrical resistivity *Berberi* 407
Computer Techniques
analysis of looms: beating-up mechanisms *Wang, Sun* ... 630
for fabric classification: based on recognition using network and dimensionality reduction *Fan, Wang, Chang, Wang, Jou, Kao* 179
for fabric expert system: neural network model for predicting properties *Fan, Hunter* 763
for fabric expert system: worsted system development for engineering design *Fan, Hunter* 680
for interlaced fabric structures: new approach to 3D modeling *Liao, Adanur* 841
for nonwoven geotextiles: simulation of mechanical properties in soil-fabric interaction *Adanur, Liao* 155
in drying of carpet tiles: analytical determination of drying characteristics *Solís, Wepfer* 342
to analyze carded webs: theoretical control; dynamic system analysis and controller design *Kuo, Wang, Hsieh* 873
to analyze nonwoven irregularity: analysis and simulation with random field theory *Cherkassky* 242
to classify textile faults: back-propagation neural network using power spectra *Chen, Liang, Yau, Sun, Wang, Lin, Lien* 121
to quantify apparel fit: using video capture and image analysis for objective method *Kohn, Ashdown* 17
Contaminants
bark content of cotton: determining with machine vision *Lieberman, Bragg, Brennan* 94
pesticide-protective clothing: carboxymethylated cotton for agricultural work clothing *Rácz, Borsa, Obendorf* ... 69
Cotton Fabrics
bleaching of: alternative to monitor hydrogen peroxide decomposition *Stana-Kleinschek, Golcer, Ribitsch, Dolecek* 320
cellulase and pectinase treated: effects on cuticle and fiber properties *Li, Hardin* 671
cellulase enzymatic treatment of: combined with traditional scouring *Csiszár, Szakács, Rusznák* 163
classification of: based on recognition using network and dimensionality reduction *Fan, Wang, Chang, Wang, Jou, Kao* 179
cotton/polyethylene blends: properties of fabrics from blend yarns; Dyneema *Sawhney, Ruppenicker, Price* 203
crosslinking of fibers: sulfonated cotton cellulose; DMDHEU treatment *Han, Chen* 115
DP finished: BTCA bound to cellulosic material by isocratic HPLC *Schramm, Rinderer, Bobleter* 821
DP/antimicrobial finishing: citric acid and chitosan treatment *Chung, Lee, Kim* 772
drape of seamed fabrics: drape coefficient and profile, node analysis *Hu, Chung* 913
enzymatic hydrolysis of: influence of direct and reactive dyes *Buschle-Diller, Traore* 185
enzymatic scouring of: improved fabric wettability *Hartzell, Hsieh* 233

enzyme ageing of: molecular weight of cotton after total cellulase treatment *Rousselle, Howley* 606
flameproofing of: thermal degradation behavior of cellulosic fibers *Nakanishi, Hashimoto* 807
formaldehyde-free finish: single-step dyeing and DP finishing of cotton *Raheel, Guo* 571
hydrolysis of cellulose: hydrolysis by engineered cellulases *Cavaco-Paulo, Almeida, Bishop* 273
men's socks: comfort pressure evaluation using an elastic optical fiber *Nishimatsu, Ohmura, Sekiguchi, Toba, Shoh* 435
nonformaldehyde DP finish: combining citric acid with polymers of maleic acid *Yang, Xu, Li, Jiang* 457
pesticide-protective clothing: carboxymethylated cotton for agricultural work clothing *Rácz, Borsa, Obendorf* ... 69
pilling of cotton and wool: Siroflash treatment to reduce pilling in knits *Millington* 413
stitched seam recovery: effects of repeated extension and recovery; load at maximum extension and break *Webster, Laing, Niven* 854
stitched seam recovery: effects of repeated extension and recovery; theoretical model *Webster, Laing, Enlow* .. 881
tensile strength loss in: effects of acid degradation and crosslinking by BTCA *Kang, Yang, Wei, Lickfield* ... 865
vapor transport through: moisture transport through breathable fabrics and clothing systems *Gretton, Brook, Dyson, Harlock* 936
water repellent: durable repellency by low-degree substitution of alkyl groups *Sawatari, Sekigushi, Yagi* 508
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280
with antimicrobial finish: synthesis of a quaternary ammonium derivative of chitosan *Kim, Choi, Yoon* 428

Cotton Fibers
Acala cotton seed fibers: dyeing characteristics of *Thompson, Hsieh* 493
air-jet spun blend yarns: interaction of process and material parameters *Rajamanickam, Patel, Hansen, Jayaraman* 708
bleached cotton yarn: effect of scouring with enzymes, organic solvents, and caustic soda *Buschle-Diller, El Mogahzy, Inglesby, Zeronian* 920
cellulase and pectinase treated: effects on cuticle and fiber properties *Li, Hardin* 671
cotton color grading: investigating redness, chroma, yellow spots, trash *Xu, Fang, Watson* 779
cotton/nylon core yarns: filament pre-tension in friction spinning of composites *Merati, Konda, Okamura, Marui* ... 254
fiber length comparisons: theoretical and practical aspects of various cottons *Cui, Calamari, Suh* 467
fiber surfaces: streaming potential measurements *Ribitsch, Stana-Kleinscheck* 701
filament and staple composite yarn: blend uniformity and effect on dyeing *Su, Wu, Lee* 528
fineness and maturity: theoretical and experimental profiles *Chu* 697
fineness and maturity: theoretical and experimental profiles *Montalvo* 698
higher yarn tenacity: cotton germplasm bred for tenacity *May, Taylor* 302
processing propensity of: evaluating staple fiber processing *El Mogahzy, Broughton, Guo, Taylor* 835
processing propensity of: evaluating staple fiber processing; polyester/cotton blends *El Mogahzy, Broughton, Guo, Rollins* 907
stickiness of: high moisture storage effects *Chun, Brushwood* 642
tenacity of: interpretation of fiber, bundle, yarn data *Sasser* 386
tenacity of: interpretation of fiber, bundle, yarn data *Sengupta* 386

Cotton Yarns
Sirospun yarns: effect of strand spacing and twist multiplier *Cheng, Sun* 520
sizing and desizing of: carbon dioxide based; advances in *Bowman, Reade, Hallen, Butenhoff* 732

Cotton, Raw
bark content of: determining with machine vision *Lieberman, Bragg, Brennan* 94
color measurements: imaging colorimeter *Xu, Fang, Huang, Watson* 351

Creep
in tensile testing: strain rate in *Vangheluwe, Goswami* ... 150

Crimp
in fabric damage growth: prestressed plain weave fabrics *Godfrey, Rossettos* 359
of fine Merino lamb's wool: physical properties and processing; growth and softness *Madeley, Postle, Mahar* 545
of fine Merino lamb's wool: softness and objective characteristics *Madeley, Postle, Mahar* 663

Crosslinking
of cotton fabrics: BTCA bound to cellulosic material by isocratic HPLC *Schramm, Rinderer, Bobleter* 821
of sulfonated cotton cellulose: physical properties of DMDHEU-treated fabrics *Han, Chen* 115
of wool with epoxides: improved wrinkle recovery *Kang, Moon* 719
tensile strength loss in: effects of acid degradation and crosslinking by BTCA *Kang, Yang, Wei, Lickfield* ... 865

Decomposition
of cotton bleaching solution: alternative to monitor hydrogen peroxide decomposition *Stana-Kleinschek, Golcer, Ribitsch, Dolecek* 320

Deformation
capstan equation: improved equation for nonflexible fibers and yarns *Wei, Chen* 487
fabric damage growth: prestressed plain weave fabrics *Godfrey, Rossettos* 359
in nonwovens: finite element modeling of nonuniform deformation *Bais-Singh, Biggers, Goswami* 327
of multiaxial warp knits: modeling uniaxial tensile properties *Hu, Jiang, Ko* 828
of spunbonded nonwovens: predicting biaxial tensile deformation behavior of *Bais-Singh, Goswami* 219

Detergents
for flax retting: chemical/physical retting using detergent and oxalic acid *Henriksson, Eriksson, Kimmel, Akin* 942

Diffusion
in initial stage of dyeing: analytical technique for characterizing *Muraoka, Ito, Fujiwara, Igarashi, Nishizawa* 105

Drafting
of air-jet spun blend yarns: interaction of process and material parameters *Rajamanickam, Patel, Hansen, Jayaraman* 708
of fine denier polyester: drafting force in the break draft zone *Su, Lo, Lee* 559

Drape
effect of mechanical properties: relationship with fabric drape coefficient *Hu, Chan* 57
fabric bending behavior: effects of nonlinear bending: online measurement *Zhou, Ghosh* 533
of ladies' garments: optimum silhouette design based on fabric properties *Niwa, Nakanishi, Ayada, Kawabata* 578
of seamed fabrics: drape coefficient and profile, node analysis *Hu, Chung* 913

Durable Press
formaldehyde-free finish: BTCA bound to cellulosic material by isocratic HPLC *Schramm, Rinderer, Bobleter* 821
formaldehyde-free finish: citric acid and chitosan treatment for DP and antimicrobial finish *Chung, Lee, Kim* 772
formaldehyde-free finish: single-step dyeing and DP finishing of cotton *Raheel, Guo* 571

nonformaldehyde finish: combining citric acid with polymers of maleic acid *Yang, Xu, Li, Jiang* 457
tensile strength loss in: effects of acid degradation and crosslinking by BTCA *Kang, Yang, Wei, Lickfield* ... 865
Dyeing
acid-dyed wool: effect of salts on physical interactions in dyeing *Yang* 615
indigo backstaining: during cellulase washing *Cavaco-Paulo, Morgado, Almeida, Kilburn* 398
initial stage of process: analytical technique for characterizing *Muraoka, Ito, Fujiwara, Igarashi, Nishizawa* .. 105
of Acala cotton seed fibers: dyeing characteristics of *Thompson, Hsieh* 493
of acetate fibers: disperse dyeing with double-tailed surfactant *Kim, Ishikawa, Kono, Takagishi* 422
of composite yarn: blend uniformity of filament and staple yarn and effect on dyeing *Su, Wu, Lee* 528
of DP-finished cottons: single-step dyeing and DP finishing *Raheel, Guo* 571
of hydrolyzed cotton: hydrolysis by engineered cellulases *Cavaco-Paulo, Almeida, Bishop* 273
of PAN/modified protein membranes: organic solvent-soluble proteins; solute permeabilities and dyeing properties *Park, Yamaguchi, Hori, Yamakoshi* 127
of PEN fibers: effect of solvents on physical properties and dyeing *Wang, Ma* 611
of plasma-treated wool and nylon: effect of low temperature plasma on color of wool and nylon *Wakida, Cho, Choi, Tokino, Lee* 848
of poly/wool with liposomes: phosphatidilcholine liposomes for dyeing poly/wool blends with disperse dyes *Martí, Coderch, de la Maza, Manich, Parra* 209
of wool fibers: low temperature plasma, chlorination, polymer treatments *Kan, Chan, Yuen, Miao* 814
of wool with liposomes: optimizing process with azoic 1:2 metal complex dye *de la Maza, Coderch, Manich, Martí, Parra, Serra* 635
Dyes
direct and reactive dyes on cotton: influence on enzymatic hydrolysis *Buschle-Diller, Traore* 185
mordant dyes: iron salts in post-metallization *Bardole, Freeman, Reife* 141

Elasticity
viscoelasticity of nylon 6: properties of fibers and corresponding assemblies *Sélden, Dartman* 264
Electrokinetics
of fiber surfaces: streaming potential measurements *Ribitsch, Stana-Kleinscheck* 701
Electrolysis
of wool fibers: physical properties of wool in electrolyte solutions *Huson* 595
Electrostatics
in textile assemblies: new method for evaluating electrical resistivity *Berberi* 407
Environmental Impacts
of finishing cotton: single-step dyeing and DP finishing *Raheel, Guo* 571
of mordant dyes on wool: iron salts in post-metallization of dyes *Bardole, Freeman, Reife* 141
of plasma-treated wool and nylon: effect of low temperature plasma on color of wool and nylon *Wakida, Cho, Choi, Tokino, Lee* 848
of rayon fiber processing: structure of regenerated fibers from DMAc/LiCl solution *Hong, Chung, Lee* 65
of recycled polymer geotextiles: influence of waste polymer on oriented polypropylene morphology *Horrocks, Ghosh* 473
of shrink-resist treated wool: UV curing treatments; monomer systems *Dodd, Carr, Byrne* 10
of traditional cotton scouring: combined with cellulase enzymatic treatment *Csiszár, Szakács, Rusznák* 163
of wool chlorination: low temperature plasma, chlorination, polymer treatments *Kan, Chan, Yuen, Miao* 814
Enzymes
cellulase enzymatic treated cotton: combined with traditional scouring *Csiszár, Szakács, Rusznák* 163
engineered cellulases: for cotton hydrolysis *Cavaco-Paulo, Almeida, Bishop* 273
for cotton hydrolysis: influence of direct and reactive dyes *Buschle-Diller, Traore* 185
for cotton scouring: improved cotton fabric wettability *Hartzell, Hsieh* 233
for flax retting: chemical/physical retting using detergent and oxalic acid *Henriksson, Eriksson, Kimmel, Akin* 942
for scouring cotton yarn: effect of scouring, organic solvents, and caustic soda *Buschle-Diller, El Mogahzy, Inglesby, Zeronian* 920
hydrolysis of polyester: improved wetting and absorbency *Hsieh, Cram* 311
in indigo dyeing: indigo backstaining during cellulase washing *Cavaco-Paulo, Morgado, Almeida, Kilburn* 398
on cotton cellulose: molecular weight of cotton after total cellulase treatment *Rousselle, Howley* 606
to treat cottons: effects of cellulases and pectinases on cuticle and fiber properties *Li, Hardin* 671
Epoxides
to crosslink wool: improved wrinkle recovery *Kang, Moon* 719

Fabric Defects
classifying with neural network: back-propagation network using power spectra *Chen, Liang, Yau, Sun, Wang, Lin, Lien* 121
Fabric Engineering
fabric expert system: neural network model for predicting properties *Fan, Hunter* 763
worsted fabric expert system: developed for engineering design *Fan, Hunter* 680
Fatigue
of aramid nonwovens: behavior under hot press conditions; effect of fiber fineness and mechanical properties *Watanabe, Miwa, Yokoi, Nakayama* 77
of aramid nonwovens: behavior under hot press conditions; effect of punching density *Watanabe, Miwa, Yokoi, Nakayama* 171
of textile webbings: studies under multiaxial dynamic loading *Taipalus, Järvelä* 553
Fiber Assemblies
in compression: fiber assemblies at high stress *Schoppee* 371
nylon 6 fibers: viscoelastic properties of fibers and assemblies *Sélden, Dartman* 264
Fiber Diameter
of merino wool fibers: diameter and strength distributions in early stage processing *Wang, Wang* 87
Fiber Length
of various cottons: theoretical and practical aspects *Cui, Calamari, Suh* 467
Fibrous Debris
from wiping materials: quantifying released and generated debris *Oathout, Mattina* 756
Finishing
characterizing spin finish layers: SFM of polypropylene fiber surfaces *Leijala, Hautojärvi* 193
Finishing Agents
cotton antimicrobial finish: synthesis of a quaternary ammonium derivative of chitosan *Kim, Choi, Yoon* 428
DP/antimicrobial: citric acid and chitosan treatment *Chung, Lee, Kim* 772

nonformaldehyde DP cotton finish: combining citric acid with polymers of maleic acid *Yang, Xu, Li, Jiang* ... 457
Flameproofing
heat transfer in fabrics: effects of thermal properties on flame resistance in flash fires *Torvi, Dale* 787
of cellulosic fibers: thermal degradation behavior *Nakanishi, Hashimoto* 807
of cotton/polyethylene blends: properties of fabrics from blend yarns; Dyneema *Sawhney, Ruppenicker, Price* 203
of polyester fabrics: relationship of flame retardation and phase transition behavior *Kubokawa, Hatakeyama* ... 502
Flammability
of upholstery fabrics: study of smoldering conditions using thermal imaging *Gandhi, Spivak, Pourdeyhimi* 687
Flax
fungal retting of: structural effects on flax stems by three fungi *Akin, Rigsby, Henriksson, Eriksson* 515
retting of: chemical/physical retting using detergent and oxalic acid *Henriksson, Eriksson, Kimmel, Akin* 942
tensile properties of: effect of relative humidity and damage on flax and nettle fibers *Davies, Bruce* 623
Fly
generated during weft knitting: yarn and knitting parameters affecting *Barella, Manich* 152
Formaldehyde
in crosslinked cotton: sulfonated cotton cellulose; DMDHEU-treated fabrics *Han, Chen* 115
Friction
capstan equation: improved equation for nonflexible fibers and yarns *Wei, Chen* 487
yarn twist blockage: mechanisms of; rotating guide *Miao* 135
Fungi
fungal retting of flax: structural effects on flax stems by three fungi *Akin, Rigsby, Henriksson, Eriksson* 515

Geometry
drape of seamed fabrics: drape coefficient and profile, node analysis *Hu, Chung* 913
of a plain knit: analysis of stitch form of circular knit over a cylinder *Morooka, Matsumoto, Morooka* 930
of fabric damage growth: prestressed plain weave fabrics *Godfrey, Rossettos* 359
of geotextile sheets: 3D modeling of behavior as membranes *Villard, Giraud* 797
of interlaced fabric structures: new approach to 3D modeling *Liao, Adanur* 841
of multiaxial warp knits: modeling uniaxial tensile properties *Hu, Jiang, Ko* 828
Geotextiles
3D modeling of: behavior of geotextile sheets as membranes *Villard, Giraud* 797
recycled polymers in: influence of waste polymer on oriented polypropylene morphology *Horrocks, Ghosh* .. 473
soil-fabric interaction: computer simulation of mechanical properties *Adanur, Liao* 155
Glass Fibers
parallel fibrous composites: modeling for suppression of moisture/temperature induced dimensional changes *Qui, Backer* 1

Hair
intermediate filaments in: filament packing in echidna quill *James, Amemiya* 167
Hairiness
of air-jet spun blend yarns: interaction of process and material parameters *Rajamanickam, Patel, Hansen, Jayaraman* 708
of Sirospun yarns: effect of strand spacing and twist multiplier *Cheng, Sun* 520
Handle
for fabric classfication: based on recognition using network and dimensionality reduction *Fan, Wang, Chang, Wang, Jou, Kao* 179
of fine Merino lamb's wool: physical properties and processing; growth and softness *Madeley, Postle, Mahar* 545
of fine Merino lamb's wool: softness and objective characteristics *Madeley, Postle, Mahar* 663
of softened rayon/poly: quality control of silicone softener application *Tzanov, Betcheva, Hardalov, Hes* 749
of water repellent cottons: durable repellency by low-degree substitution of alkyl groups *Sawatari, Sekigushi, Yagi* .. 508
of wool dyed with liposomes: optimizing process with azoic 1:2 metal complex dye *de la Maza, Coderch, Manich, Martí, Parra, Serra* 635
Heat Setting
moulding foam sheets: predicting energy requirements for *Yu, Yeung, Harlock, Leaf* 289
Hollow Fibers
melt spinning of: numerical simulation of *Oh, Lee, Kim, Shim* 449
Humidity
effect on flax and nettle fibers: effect of humidity and damage on tensile properties *Davies, Bruce* 623
Hydrolysis
enzymatic hydrolysis of cotton: influence of direct and reactive dyes *Buschle-Diller, Traore* 185
of aramids: influence of treatment on mechanical properties *Springer, Obaid, Prabawa, Hinrichsen* 588
of cotton by cellulases: engineered enzymes *Cavaco-Paulo, Almeida, Bishop* 273
of polyester with enzymes: improved wetting and absorbency *Hsieh, Cram* 311

Image Analysis
of bark in raw cotton: determining with machine vision *Lieberman, Bragg, Brennan* 94
of cotton color: imaging colorimeter *Xu, Fang, Huang, Watson* 351
of fabric smoothness: evaluating fabric smoothness with laser profilometer *Xu, Cuminato, Keyes* 900
of upholstery fabric flammability: study of smoldering conditions using thermal imaging *Gandhi, Spivak, Pourdeyhimi* 687
to analyze neps: identification and analysis with image processing methods *Iype, Wan* 889
to quantify apparel fit: using video capture and image analysis for objective method *Kohn, Ashdown* 17
Ion Exchange
in acid-dyed wool: effect of salts on physical interactions in dyeing *Yang* 615
in wool fibers: physical properties of wool in electrolyte solutions *Huson* 595

Keratin
intermediate filaments in: filament packing in echidna quill *James, Amemiya* 167
microfibrils in: hexagonal packing of intermediate filaments *Feughelman, James* 110
Knits
geometry of a plain knit: analysis of stitch form of circular knit over a cylinder *Morooka, Matsumoto, Morooka* 930
multiaxial warp knits: modeling uniaxial tensile properties *Hu, Jiang, Ko* 828
pilling of cotton and wool: Siroflash treatment to reduce pilling *Millington* 413
stitched seam recovery: effects of repeated extension and recovery; load at maximum extension and break *Webster, Laing, Niven* 854

stitched seam recovery: effects of repeated extension and recovery; theoretical model *Webster, Laing, Enlow* .. 881

Knitting
fly formation during: yarn and knitting parameters affecting *Barella, Manich* 152

Laminates
fatigued aramid nonwovens: behavior under hot press conditions; effect of fiber fineness and mechanical properties *Watanabe, Miwa, Yokoi, Nakayama* 77
fatigued aramid nonwovens: behavior under hot press conditions; effect of punching density *Watanabe, Miwa, Yokoi, Nakayama* 171

Lasers
to classify textile faults: back-propagation neural network using power spectra *Chen, Liang, Yau, Sun, Wang, Lin, Lien* 121
to evaluate smoothness: evaluating fabric smoothness with laser profilometer *Xu, Cuminato, Keyes* 900

Laundering
fabric smoothness: evaluating fabric smoothness with laser profilometer *Xu, Cuminato, Keyes* 900
of antimicrobial cotton: synthesis of a quaternary ammonium derivative of chitosan *Kim, Choi, Yoon* 428
of pesticide-protective clothing: carboxymethylated cotton for agricultural work clothing *Rácz, Borsa, Obendorf* 69
of water repellent cottons: durable repellency by low-degree substitution of alkyl groups *Sawatari, Sekigushi, Yagi* 508

Lightfastness
of mordant dyes: iron salts in post-metallization of dyes on wool *Bardole, Freeman, Reife* 141

Liposomes
for wool dyeing: optimizing process with azoic 1:2 metal complex dye *de la Maza, Coderch, Manich, Martí, Parra, Serra* 635
vehicles for disperse dyes: phosphatidilcholine liposomes for dyeing poly/wool blends *Martí, Coderch, de la Maza, Manich, Parra* 209

Looms
beating-up mechanisms: computer aided analysis of *Wang, Sun* 630
needle punching: dynamic forces experienced by individual needles *Seyam, Mohamed, Kim* 296

Mathematical Modeling
capstan equation: improved equation for nonflexible fibers and yarns *Wei, Chen* 487
heat transfer in fabrics: effects of thermal properties on flame resistance in flash fires *Torvi, Dale* 787
of air-jet spun yarns: model for tensile fracture behavior *Rajamanickam, Hansen, Jayaraman* 654
of carded web density: theoretical control; dynamic system analysis and controller design *Kuo, Wang, Hsieh* 873
of core yarn friction spinning: false twist distribution in filaments *Merati, Konda, Okamura, Marui* 441
of drying carpet tiles: analytical determination of drying characteristics *Solís, Wepfer* 342
of fabric bending: effects of nonlinear bending; on-line measurement *Zhou, Ghosh* 533
of fabric damage growth: prestressed plain weave fabrics *Godfrey, Rossettos* 359
of fabric expert system: worsted system development for engineering design *Fan, Hunter* 680
of geometry of a plain knit: analysis of stitch form of circular knit over a cylinder *Morooka, Matsumoto, Morooka* 930
of geotextile sheets: 3D modeling of behavior as membranes *Villard, Giraud* 797
of interlaced fabric structures: new approach to 3D modeling *Liao, Adanur* 841
of ladies' garments: optimum silhouette design based on fabric properties *Niwa, Nakanishi, Ayada, Kawabata* 578
of melt spun hollow fibers: numerical simulation of *Oh, Lee, Kim, Shim* 449
of moisture transfer: simulation of heat and moisture transfer in human-clothing-environment system *Li, Holcombe* 389
of moulded foam sheets: predicting energy requirements for *Yu, Yeung, Harlock, Leaf* 289
of multiaxial warp knits: modeling uniaxial tensile properties *Hu, Jiang, Ko* 828
of nonwoven assemblies: fiber assemblies at high stress *Schoppee* 371
of nonwoven deformation: finite element modeling of spunbonded nonwovens *Bais-Singh, Biggers, Goswami* 327
of nonwoven irregularity: analysis and simulation with random field theory *Cherkassky* 242
of stitched seam recovery: effects of repeated extension and recovery; theoretical model *Webster, Laing, Enlow* .. 881

Mechanical Properties
effect on drape: relationship with fabric drape coefficient *Hu, Chan* 57
effect on garment design: optimum silhouette based on fabric properties *Niwa, Nakanishi, Ayada, Kawabata* ... 578
of cotton/nylon core yarns: filament pre-tension in friction spinning of composites *Merati, Konda, Okamura, Marui* 254
of fatigued aramid nonwovens: behavior under hot press conditions; effect of fiber fineness and mechanical properties *Watanabe, Miwa, Yokoi, Nakayama* 77
of fatigued aramid nonwovens: behavior under hot press conditions; effect of punching density *Watanabe, Miwa, Yokoi, Nakayama* 171
of nonwoven geotextiles: computer simulation of soil-fabric interaction *Adanur, Liao* 155
of nylon fiber assemblies: viscoelastic properties of fibers and assemblies *Sélden, Dartman* 264
of treated aramids: influence of hydrolytic and chemical treatment *Springer, Obaid, Prabawa, Hinrichsen* 588

Melt Spinning
of hollow fibers: numerical simulation of *Oh, Lee, Kim, Shim* 449

Membranes
geotextile sheets: 3D modeling of behavior as membranes *Villard, Giraud* 797
PAN/modified protein composites: organic solvent-soluble proteins; solute permeabilities and dyeing properties *Park, Yamaguchi, Hori, Yamakoshi* 127

Mercerization
of hydrolyzed cotton: hydrolysis by engineered cellulases *Cavaco-Paulo, Almeida, Bishop* 273

Microfibrils
in keratin fibers: hexagonal packing of intermediate filaments *Feughelman, James* 110

Moisture Phenomenon
in cotton stickiness: high moisture storage effects *Chun, Brushwood* 642

Moisture Regain
in fibrous composites: modeling for suppression of moisture/temperature induced dimensional changes *Qui, Backer* 1
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280

Moisture Transfer
in carpet tiles: analytical determination of drying characteristics *Solís, Wepfer* 342
in clothing system: mathematical simulation of heat and moisture transfer in human-clothing-environment *Li, Holcombe* 389

through waterproof fabrics: vapor transport through breathable fabrics and clothing systems *Gretton, Brook, Dyson, Harlock* 936

Needle Punching
signal analysis of: dynamic forces experienced by individual needles *Seyam, Mohamed, Kim* 296
Neps
structure of: identification and analysis with image processing methods *Iype, Wan* 889
Nettle Fibers
tensile properties of: effect of relative humidity and damage on flax and nettle fibers *Davies, Bruce* 623
Neural Networks
for fabric classification: based on recognition using network and dimensionality reduction *Fan, Wang, Chang, Wang, Jou, Kao* 179
for fabric expert system: model for predicting properties *Fan, Hunter* 763
to classify textile faults: back-propagation network using power spectra *Chen, Liang, Yau, Sun, Wang, Lin, Lien* 121
Nonwovens
fatigue of aramid nonwovens: behavior under hot press conditions; effect of fiber fineness and mechanical properties *Watanabe, Miwa, Yokoi, Nakayama* 77
fatigue of aramid nonwovens: behavior under hot press conditions; effect of punching density *Watanabe, Miwa, Yokoi, Nakayama* 171
fiber orientation in: image analysis algorithms to measure *Barella, Manich* 228
fiber orientation in: measuring with statistical techniques *Pourdeyhimi, Dent* 307
geotextiles: computer simulation of mechanical properties in soil-fabric interaction *Adanur, Liao* 155
in compression: fiber assemblies at high stress *Schoppee* 371
irregularity and nonhomogeneity: analysis and simulation with random field theory *Cherkassky* 242
kenaf webs: carding nonwoven webs on cotton card *Tao, Calamari, Crook* 402
needle punched: dynamic forces experienced by individual needles *Seyam, Mohamed, Kim* 296
nonuniform deformation: finite element modeling of spunbonded nonwovens *Bais-Singh, Biggers, Goswami* .. 327
polypropylene webs: evolution of structure and properties in process *Zhang, Bhat, Sanjiv, Wadsworth* 27
spunbonded: predicting biaxial tensile deformation behavior of *Bais-Singh, Goswami* 219
Nylon
airbag fabrics: dynamic air permeability of fabrics *Partridge, Mukhopadhyay, Barnes* 727
chemical protective fabric: vapor breakthrough from liquid drops *Scheller, Rivin, Segars* 36
cotton/nylon core yarns: filament pre-tension in friction spinning of composites *Merati, Konda, Okamura, Marui* 254
geometry of a plain knit: analysis of stitch form of circular knit over a cylinder *Morooka, Matsumoto, Morooka* 930
men's socks: comfort pressure evaluation using an elastic optical fiber *Nishimatsu, Ohmura, Sekiguchi, Toba, Shoh* 435
parallel fibrous composites: modeling for suppression of moisture/temperature induced dimensional changes *Qui, Backer* 1
plasma treated: effect of low temperature plasma on color of wool and nylon *Wakida, Cho, Choi, Tokino, Lee* 848
viscoelastic properties of: fibers and corresponding fiber assemblies *Sélden, Dartman* 264
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280

Optics
to analyze neps: identification and analysis with image processing methods *Iype, Wan* 889
to evaluate comfort of socks: pressure evaluation using an elastic optical fiber *Nishimatsu, Ohmura, Sekiguchi, Toba, Shoh* 435
to measure cotton color: imaging colorimeter *Xu, Fang, Huang, Watson* 351
Orientation
in nonwovens: image analysis algorithms to measure *Barella, Manich* 228
in nonwovens: measuring with statistical techniques *Pourdeyhimi, Dent* 307

Permeability
of nylon 66 airbags: dynamic air permeability of fabrics *Partridge, Mukhopadhyay, Barnes* 727
Photo-Oxidation
of wool: investigation using FT-Raman and FT-IR spectroscopy *Jones, Carr, Cooke, Lewis* 739
Pilling
of cotton and wool knits: Siroflash treatment to reduce pilling *Millington* 413
Plasmas
for chlorination of wool: low temperature plasma, chlorination, polymer treatments *Kan, Chan, Yuen, Miao* 814
on wool and nylon: effect of low temperature plasma on color of wool and nylon *Wakida, Cho, Choi, Tokino, Lee* 848
Polyacrylonitrile
PAN/modified protein composites: organic solvent-soluble proteins; solute permeabilities and dyeing properties of membranes *Park, Yamaguchi, Hori, Yamakoshi* 127
Polyamide
fiber surfaces: streaming potential measurements *Ribitsch, Stana-Kleinscheck* 701
Polyester
air-jet spun blend yarns: interaction of process and material parameters *Rajamanickam, Patel, Hansen, Jayaraman* 708
drape of seamed fabrics: drape coefficient and profile, node analysis *Hu, Chung* 913
dyeing with liposomes: phosphatidilcholine liposomes for dyeing poly/wool blends with disperse dyes *Martí, Coderch, de la Maza, Manich, Parra* 209
enzymatic hydrolysis of: improved wetting and absorbency with enzymes *Hsieh, Cram* 311
fatigue of webbings: studies under multiaxial dynamic loading *Taipalus, Järvelä* 553
fiber surfaces: streaming potential measurements *Ribitsch, Stana-Kleinscheck* 701
filament and staple composite yarn: blend uniformity and effect on dyeing *Su, Wu, Lee* 528
fine denier: drafting force in the break draft zone *Su, Lo, Lee* 559
flameproofing of: relationship of flame retardation and phase transition behavior *Kubokawa, Hatakeyama* ... 502
in wool-rich blends: tropical weight fabrics with unique draping characteristics *Arnold, De Boos* 564
moisture transfer in: simulation of heat and moisture transfer in human-clothing-environment system *Li, Holcombe* 389
processing propensity of: evaluating staple fiber processing; polyester/cotton blends *El Mogahzy, Broughton, Guo, Rollins* 907
rayon/polyester composite yarns: cross-sectional structure of yarns *Su, Leu* 715
sizing and desizing of: carbon dioxide based; advances in *Bowman, Reade, Hallen, Butenhoff* 732

thermal conductivity of: comparing dynamic and static methods to measure thermal conductivity *Jirsak, Gok, Ozipek, Pan* 47
vapor transport through: moisture transport through breathable fabrics and clothing systems *Gretton, Brook, Dyson, Harlock* 936
wiping materials: quantifying fibrous debris released and generated *Oathout, Mattina* 756
with silicone softener: quality control of application on rayon/polyester fabric *Tzanov, Betcheva, Hardalov, Hes* 749

Polyethylene
cotton/polyethylene blends: properties of fabrics from blend yarns; Dyneema *Sawhney, Ruppenicker, Price* 203
dyeability of PEN fibers: effect of solvents on physical properties and dyeing *Wang, Ma* 611
wiping materials: quantifying fibrous debris released and generated *Oathout, Mattina* 756

Polyolefin
in wool-rich blends: tropical weight fabrics with unique draping characteristics *Arnold, De Boos* 564

Polypropylene
geotextile tapes: influence of waste polymer on structure and morphology *Horrocks, Ghosh* 473
spin finish layers on: characterizing with SFM *Leijala, Hautojärvi* 193
spunbonded webs: evolution of structure and properties in process *Zhang, Bhat, Sanjiv, Wadsworth* 27
thermal conductivity of: comparing dynamic and static methods to measure thermal conductivity *Jirsak, Gok, Ozipek, Pan* 47
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280
wiping materials: quantifying fibrous debris released and generated *Oathout, Mattina* 756

Polyurethane
moulding foam sheets: predicting energy requirements for *Yu, Yeung, Harlock, Leaf* 289

Prickle
of wool-rich blends: tropical weight fabrics with unique draping characteristics *Arnold, De Boos* 564

Rayon
rayon/polyester composite yarns: cross-sectional structure of yarns *Su, Leu* 715
regenerated cellulose fibers: structure of regenerated fibers from DMAc/LiCl solution *Hong, Chung, Lee* 65
with silicone softener: quality control of application on rayon/polyester fabric *Tzanov, Betcheva, Hardalov, Hes* 749

Recycling
of waste polymers: influence on oriented polypropylene geotextile morphology *Horrocks, Ghosh* 473

Resilience
of spun cotton fibers: evaluating staple fiber processing propensity *El Mogahzy, Broughton, Guo, Taylor* 835

Resistivity
of textile assemblies: new method for evaluating electrical resistivity *Berberi* 407

Retting
fungal retting of flax: structural effects on flax stems by three fungi *Akin, Rigsby, Henriksson, Eriksson* 515
of flax: chemical/physical retting using detergent and oxalic acid *Henriksson, Eriksson, Kimmel, Akin* 942

Saponification
of DP finished cotton: BTCA bound to cellulosic material by isocratic HPLC *Schramm, Rinderer, Bobleter* 821

Scanning Electron Microscopy
of enzyme-treated cottons: effects of cellulases and pectinases on cuticle and fiber properties *Li, Hardin* 671

Scanning Force Microscopy
to study spin finish layers: SFM of polypropylene fiber surfaces *Leijala, Hautojärvi* 193

Scouring
enzymatic scouring of cotton: improved fabric wettability *Hartzell, Hsieh* 233
of cotton yarns: effect of scouring with enzymes, organic solvents, and caustic soda *Buschle-Diller, El Mogahzy, Inglesby, Zeronian* 920
traditional cotton scouring:: combined with cellulase enzymatic treatment *Csiszár, Szakács, Rusznák* 163

Shrinkproofing
of wool fabric: UV curing treatments; monomer systems *Dodd, Carr, Byrne* 10
of wool fibers: low temperature plasma, chlorination, polymer treatments *Kan, Chan, Yuen, Miao* 814

Silicones
softeners: quality control of application *Tzanov, Betcheva, Hardalov, Hes* 749

Silk
steaming of: influence on crystalline regions *Kawahara* ... 385

Sizing
carbon dioxide based: advances in sizing and desizing *Bowman, Reade, Hallen, Butenhoff* 732

Softeners
silicones: quality control of application *Tzanov, Betcheva, Hardalov, Hes* 749

Solvents
in dyeing PEN fibers: effect of solvents on physical properties and dyeing *Wang, Ma* 611

Spinning
air-jet spinning of blends: interaction of process and material parameters *Rajamanickam, Patel, Hansen, Jayaraman* 708
air-jet spun yarns: model for tensile fracture behavior *Rajamanickam, Hansen, Jayaraman* 654
carded web density: theoretical control; dynamic system analysis and controller design *Kuo, Wang, Hsieh* 873
cone winding: tension variation on an open-end spinning system *Babaarslan, Iype* 649
core yarn friction spinning: false twist distribution in filaments *Merati, Konda, Okamura, Marui* 441
core yarn friction spinning: filament pre-tension in cotton/nylon composites *Merati, Konda, Okamura, Marui* 254
cotton rotor ring spinning: evaluating staple fiber processing propensity *El Mogahzy, Broughton, Guo, Taylor* 835
melt spun hollow fibers: numerical simulation of *Oh, Lee, Kim, Shim* 449
of composite yarns: cross-sectional structure of yarns *Su, Leu* 715
of polyester/cotton blends: evaluating staple fiber processing *El Mogahzy, Broughton, Guo, Rollins* 907
of Sirospun yarns: effect of strand spacing and twist multiplier *Cheng, Sun* 520
spin finish layers: SFM of polypropylene fiber surfaces to characterize *Leijala, Hautojärvi* 193
yarn twist blockage: mechanisms of; rotating guide *Miao* 135

Spunbonding
of nonwovens: finite element modeling of nonuniform deformation *Bais-Singh, Biggers, Goswami* 327
of nonwovens: predicting biaxial tensile deformation behavior of *Bais-Singh, Goswami* 219
polypropylene webs: evolution of structure and properties in process *Zhang, Bhat, Sanjiv, Wadsworth* 27

Statistical Techniques
for fiber length comparisons: theoretical and practical aspects of various cottons *Cui, Calamari, Suh* 467
to analyze nonwoven irregularity: analysis and simulation with random field theory *Cherkassky* 242

to measure fiber fineness: theoretical and experimental profiles of cotton maturity *Chu* ... 697
to measure fiber fineness: theoretical and experimental profiles of cotton maturity *Montalvo* ... 698
Steaming
of silk: influence on crystalline regions *Kawahara* ... 385
Strain
in tensile testing: strain rate in *Vangheluwe, Goswami* ... 150
Stress-Strain
fabric damage growth: prestressed plain weave fabrics *Godfrey, Rossettos* ... 359
nonwoven deformation: finite element modeling of spunbonded nonwovens *Bais-Singh, Biggers, Goswami* ... 327
of nonwoven assemblies: fiber assemblies at high stress *Schoppee* ... 371
of stitched seams: effects of repeated extension and recovery; load at maximum extension and break *Webster, Laing, Niven* ... 854
Surfactants
in dyeing acetate fibers: disperse dyeing with double-tailed surfactant *Kim, Ishikawa, Kono, Takagishi* ... 422

Temperature Effects
in fibrous composites: modeling for suppression of moisture/temperature induced dimensional changes *Qui, Backer* ... 1
Tenacity
of cotton fibers: cotton germplasm bred for tenacity *May, Taylor* ... 302
of fibers, bundles, yarns: interpretation of cotton data *Sasser* ... 386
of fibers, bundles, yarns: interpretation of cotton data *Sengupta* ... 386
of PEN fibers: effect of solvents on physical properties and dyeing *Wang, Ma* ... 611
of Sirospun yarns: effect of strand spacing and twist multiplier *Cheng, Sun* ... 520
Tensile Properties
effect on drape: relationship with fabric drape coefficient *Hu, Chan* ... 57
of air-jet spun yarns: model for tensile fracture behavior *Rajamanickam, Hansen, Jayaraman* ... 654
of DP finished cottons: effects of acid degradation and crosslinking by BTCA *Kang, Yang, Wei, Lickfield* ... 865
of flax and nettle fibers: effect of humidity and damage *Davies, Bruce* ... 623
of merino wool fibers: diameter and strength distributions in early stage processing *Wang, Wang* ... 87
of multiaxial warp knits: modeling uniaxial tensile properties *Hu, Jiang, Ko* ... 828
of spunbonded nonwovens: predicting biaxial tensile deformation behavior of *Bais-Singh, Goswami* ... 219
of treated aramids: influence of hydrolytic and chemical treatment *Springer, Obaid, Prabawa, Hinrichsen* ... 588
of wool fibers: physical properties of wool in electrolyte solutions *Huson* ... 595
Tensile Testing
dynamic: strain rate in *Vangheluwe, Goswami* ... 150
Tension
during cone winding: variation on an open-end spinning system *Babaarslan, Iype* ... 649
Textile Assemblies
electical resistivity of: new method for evaluating *Berberi* 407
Thermal Analysis
of cellulosic fibers: thermal degradation behavior *Nakanishi, Hashimoto* ... 807
of flameproofed polyester: relationship of flame retardation and phase transition behavior *Kubokawa, Hatakeyama* 502
of upholstery flammability: study of smoldering conditions using thermal imaging *Gandhi, Spivak, Pourdeyhimi* 687
Thermal Properties
conductivity of polyester: comparing dynamic and static methods to measure thermal conductivity *Jirsak, Gok, Ozipek, Pan* ... 47
heat transfer in fabrics: effects of thermal properties on flame resistance in flash fires *Torvi, Dale* ... 787
Thermal Techniques
moulding foam sheets: predicting energy requirements for *Yu, Yeung, Harlock, Leaf* ... 289
Transmission Electron Microscopy
of keratin microfibrils: hexagonal packing of intermediate filaments *Feughelman, James* ... 110
Twist
in core yarn friction spinning: false twist distribution in filaments *Merati, Konda, Okamura, Marui* ... 441
in Sirospun yarns: effect of strand spacing and twist multiplier *Cheng, Sun* ... 520
of fine denier polyester: drafting force in the break draft zone *Su, Lo, Lee* ... 559
yarn twist blockage: mechanisms of; rotating guide *Miao* 135

Upholstery Fabrics
flammability of: study of smoldering conditions using thermal imaging *Gandhi, Spivak, Pourdeyhimi* ... 687
UV Phenomena
of shrink-resist wool fabric: UV curing treatments; monomer systems *Dodd, Carr, Byrne* ... 10
photo-oxidation of wool: investigation using FT-Raman and FT-IR spectroscopy *Jones, Carr, Cooke, Lewis* ... 739
to reduce pilling: Siroflash treatment for cotton and wool knits *Millington* ... 413

Vapor Permeability
of chemical protective fabric: vapor breakthrough from liquid drops *Scheller, Rivin, Segars* ... 36

Washfastness
of mordant dyes on wool: iron salts in post-metallization of dyes *Bardole, Freeman, Reife* ... 141
Water Repellency
of cotton fabrics: durable repellency by low-degree substitution of alkyl groups *Sawatari, Sekigushi, Yagi* ... 508
Webbings
carded web density: theoretical control; dynamic system analysis and controller design *Kuo, Wang, Hsieh* ... 873
fatigue of: studies under multiaxial dynamic loading *Taipalus, Järvelä* ... 553
needle punched: dynamic forces experienced by individual needles *Seyam, Mohamed, Kim* ... 296
spunbonded polypropylene webs: evolution of structure and properties in process *Zhang, Bhat, Sanjiv, Wadsworth* 27
Wettability
of disposable pads: wet comfort related to absorption capacity and rewet properties *Cottenden, Thornburn, Dean, Fader, Brooks* ... 479
of hydrolyzed polyester: improved wetting and absorbency with enzymes *Hsieh, Cram* ... 311
of scoured cotton fabric: improved wettability with enzymatic scouring *Hartzell, Hsieh* ... 233
Winding
cone winding: tension variation on an open-end spinning system *Babaarslan, Iype* ... 649
Wool Fabrics
acid dyed: effect of salts on physical interactions in dyeing *Yang* ... 615
crosslinking with epoxide: improved wrinkle recovery *Kang, Moon* ... 719

dyeing with liposomes: phosphatidilcholine liposomes for dyeing poly/wool blends with disperse dyes *Martí, Coderch, de la Maza, Manich, Parra* 209
men's socks: comfort pressure evaluation using an elastic optical fiber *Nishimatsu, Ohmura, Sekiguchi, Toba, Shoh* 435
moisture transfer in: simulation of heat and moisture transfer in human-clothing-environment system *Li, Holcombe* 389
mordant dyeing of: iron salts in post-metallization of dyes *Bardole, Freeman, Reife* 141
photo-oxidation of: investigation using FT-Raman and FT-IR spectroscopy *Jones, Carr, Cooke, Lewis* 739
pilling of cotton and wool: Siroflash treatment to reduce pilling in knits *Millington* 413
plasma treated: effect of low temperature plasma on color of wool and nylon *Wakida, Cho, Choi, Tokino, Lee* 848
shrink-resist wool: UV curing treatments; monomer systems *Dodd, Carr, Byrne* 10
stitched seam recovery: effects of repeated extension and recovery; load at maximum extension and break *Webster, Laing, Niven* 854
stitched seam recovery: effects of repeated extension and recovery; theoretical model *Webster, Laing, Enlow* .. 881
water/fabric interaction: comparison of cotton, wool, acrylic, nylon, and polypropylene *Crow, Osczevski* .. 280
wool-rich blends: tropical weight fabrics with unique draping characteristics *Arnold, De Boos* 564
worsted expert system: neural network model for predicting properties *Fan, Hunter* 763
worsted fabric expert system: system development for engineering design *Fan, Hunter* 680

Wool Fibers
chlorination of: low temperature plasma, chlorination, polymer treatments *Kan, Chan, Yuen, Miao* 814
dyeing with liposomes: optimizing process with azoic 1:2 metal complex dye *de la Maza, Coderch, Manich, Martí, Parra, Serra* 635
fiber diameter and strength distributions: of merino wool in early stage processing *Wang, Wang* 87
fine Merino lamb's wool: physical properties and processing; growth and softness *Madeley, Postle, Mahar* ... 545
fine Merino lamb's wool: softness and objective characteristics *Madeley, Postle, Mahar* 663
in electrolyte solutions: physical properties *Huson* 595
intermediate filaments in: filament packing in echidna quill *James, Amemiya* 167
keratin microfibrils: hexagonal packing of intermediate filaments *Feughelman, James* 110
scale heights of: chemically treated wool and hair fibers *Tucker* 229
structure of neps in: identification and analysis with image processing methods *Iype, Wan* 889

Wrinkle Recovery
evaluating with laser: evaluating fabric smoothness with laser profilometer *Xu, Cuminato, Keyes* 900
nonformaldehyde DP cotton finish: combining citric acid with polymers of maleic acid *Yang, Xu, Li, Jiang* ... 457
of crosslinked wool: improved with epoxides *Kang, Moon* 719
of DP finished cotton: citric acid and chitosan treatment for DP/antimicrobial finish *Chung, Lee, Kim* 772

Yarns
cone winding of: tension variation on an open-end spinning system *Babaarslan, Iype* 649
core yarn friction spinning: false twist distribution in filaments *Merati, Konda, Okamura, Marui* 441
yarn twist blockage: mechanisms of; rotating guide *Miao* 135

Yellowing
cotton color grading: investigating redness, chroma, yellow spots, trash *Xu, Fang, Watson* 779
of photo-oxidized wool: investigation using FT-Raman and FT-IR spectroscopy *Jones, Carr, Cooke, Lewis* 739
of stored cotton fibers: high moisture storage effects on stickiness *Chun, Brushwood* 642

Zeta Potential
to characterize fibers: streaming potential measurements of fiber surfaces *Ribitsch, Stana-Kleinscheck* 701